



**ESSENTIAL
INFORMATION TO
HELP YOU CHOOSE
YOUR VEHICLE**




www.caravansinternational.it/global

NOTES - This catalogue does not represent contractual documentation, rather only general information. Trigano S.p.A. reserves the right to change the features and fitting of any of its models without prior notice; all data contained in this brochure is therefore to be considered as indicative and nonbinding. For the above reasons, all information relating to the specifications and equipment of each model must be requested prior to purchase from the dealer, who, as the sole contact person, will confirm or correct the data published by updating the customer on the characteristics and actual equipment of the relevant vehicle being negotiated. Despite careful content checks, possible printing and/or translation errors cannot be excluded. This catalogue does not constitute contractual documentation. Any reproduction, even partial, of the text or contents of this document is prohibited. We disclaim all liability in the event of structural modifications made to the vehicle; any assembly, disassembly or modifications carried out at unauthorised workshops may endanger your safety and also lead to the voiding of warranty clauses. For more information on installation and technical details, please contact the authorised sales network.

HORON FIT 30 XT

LOW-PROFILE WITH ELEVATING BED



2,15 → 6,39



MECHANICS AND CHASSIS

MECHANICAL UNIT
ENGINE, POWER
MANUAL GEARBOX
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)
WHEELBASE (MM)
MAXIMUM TOWABLE WEIGHT (KG)
WHEELS DIMENSIONS
CAB AIR CONDITIONING
DRIVER AND PASSENGER AIRBAG
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST
ABS / ESC / TRACTION+
DRIVER AND PASSENGER SWIVELLING SEATS
CAB SEAT COVERS
PAINTED FRONT BUMPER
FOG LIGHTS
INFOTAINMENT

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)
EXTERNAL WIDTH (MM)
EXTERNAL / INTERNAL HEIGHT (MM)
ISOFIX
HOMOLOGATED SEATS
BERTHS
REAR BED (CM)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)
OVERCAB BED (CM)
ELEVATING BED (CM)
CONVERTING TWIN BEDS INTO A DOUBLE BED
LOCKER (USEFUL OPENING, CM)
MAX. INTERNAL GARAGE HEIGHT (CM)
FLOOR / WALLS / ROOF THICKNESS (CM)
FLOOR / WALLS / ROOF MATERIAL
FIBERGLASS ROOF, HAIL-PROOF

INSTALLATIONS

BURNERS
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)
FRIDGE (LT)
HEATING SYSTEM
MAX CAPACITY OF GAS LOCKER (KG)**
ELECTRIC HANDBRAKE
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM
TRUMA INETX – CONTROL PANEL + APP
INTEGRATED AND ISOLATED ENTRY STEP
HEATED GARAGE LOCKER

SKYLIGHT

PANORAMIC ROOF (MM)
REAR SKYLIGHT (MM)
CENTRAL SKYLIGHT (MM)
DINETTE SKYLIGHT (MM)
TOILETTE PORTLIGHT (CM)
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET

EQUIPMENTS

PLEATED CABIN BLIND
REAR CAMERA
SOLAR PANEL WITH REGULATOR
AWNING
CAB COLOUR
AIR CONDITIONING IN THE LIVING AREA
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS
FLYSCREEN FOR ENTRANCE DOOR
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE
EXTERNAL LED LIGHT

FORD TRANSIT
2.0 TDCi Ford EcoBlue 130CV
Manual
3500
2775
280
3750
2000
16" Steel
Automatic
S
S
S / S / -
S
S (PACK HORON FIT)*
S (PACK HORON FIT)*
S
RADIO DAB TOUCHSCREEN 12"
6390
2150
2850 / 2040
S
4
2 (+2 OPT)
-
200x149(96) (OPT, 5kg)
-
190x140
-
170x65 - 170x65
219
5,4 / 3 / 3
MTS / VTR / VTR
S
2
20 / 120 / 100
152
Combi 4 Diesel
20
S
S (PACK HORON FIT)*
O (- kg)
S
S
S (PACK HORON FIT)*
400x400
400x400
-
28x28
S
PACK HORON FIT
S
1 x 200 W (PACK HORON FIT)
PACK OPEN AIR
White
-
PACK HORON FIT
S
PACK OPEN AIR
S

S= standard O=optional - = not available


*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON FIT 35 XT

LOW-PROFILE WITH ELEVATING BED



2,15 → 5,99



MECHANICS AND CHASSIS

MECHANICAL UNIT
ENGINE, POWER
MANUAL GEARBOX
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)
WHEELBASE (MM)
MAXIMUM TOWABLE WEIGHT (KG)
WHEELS DIMENSIONS
CAB AIR CONDITIONING
DRIVER AND PASSENGER AIRBAG
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST
ABS / ESC / TRACTION+
DRIVER AND PASSENGER SWIVELLING SEATS
CAB SEAT COVERS
PAINTED FRONT BUMPER
FOG LIGHTS
INFOTAINMENT

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)
EXTERNAL WIDTH (MM)
EXTERNAL / INTERNAL HEIGHT (MM)
ISOFIX
HOMOLOGATED SEATS
BERTHS
REAR BED (CM)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)
OVERCAB BED (CM)
ELEVATING BED (CM)
CONVERTING TWIN BEDS INTO A DOUBLE BED
LOCKER (USEFUL OPENING, CM)
MAX. INTERNAL GARAGE HEIGHT (CM)
FLOOR / WALLS / ROOF THICKNESS (CM)
FLOOR / WALLS / ROOF MATERIAL
FIBERGLASS ROOF, HAIL-PROOF

INSTALLATIONS

BURNERS
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)
FRIDGE (LT)
HEATING SYSTEM
MAX CAPACITY OF GAS LOCKER (KG)**
ELECTRIC HANDBRAKE
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM
TRUMA INETX – CONTROL PANEL + APP
INTEGRATED AND ISOLATED ENTRY STEP
HEATED GARAGE LOCKER

SKYLIGHT

PANORAMIC ROOF (MM)
REAR SKYLIGHT (MM)
CENTRAL SKYLIGHT (MM)
DINETTE SKYLIGHT (MM)
TOILETTE PORTLIGHT (CM)
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET

EQUIPMENTS

PLEATED CABIN BLIND
REAR CAMERA
SOLAR PANEL WITH REGULATOR
AWNING
CAB COLOUR
AIR CONDITIONING IN THE LIVING AREA
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS
FLYSCREEN FOR ENTRANCE DOOR
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE
EXTERNAL LED LIGHT

WITHOUT MOTORCYCLE RACK

FORD TRANSIT
2.0 TDCi Ford EcoBlue 130CV
Manual
3500
2715
250
3750
2000
16" Steel
Automatic
S
S
S / S / -
S
S (PACK HORON FIT)*
S (PACK HORON FIT)*
S
RADIO DAB TOUCHSCREEN 12"

5990
2150
2850 / 2040
S
4
2 (+2 OPT)
-
200x157(90) (OPT, 5kg)
-
190x140
-
145x57
204
5,4 / 3 / 3
MTS / VTR / VTR
S

2
20 / 120 / 100
152
Combi 4 Diesel
20
S
S (PACK HORON FIT)*
O (- kg)
S
S

S (PACK HORON FIT)*
-
400x400
-
28x28
S

PACK HORON FIT
S
1 x 200 W (PACK HORON FIT)
PACK OPEN AIR
White
-
PACK HORON FIT
S
PACK OPEN AIR
S

WITH MOTORCYCLE RACK

FORD TRANSIT
2.0 TDCi Ford EcoBlue 130CV
Manual
3500
2795
170
3750
0
16" Steel
Automatic
S
S
S / S / -
S
S (PACK HORON FIT)*
S (PACK HORON FIT)*
S
RADIO DAB TOUCHSCREEN 12"

6740 (with extended motorbike rack)
2150
2850 / 2040
S
4
2 (+2 OPT)
-
200x157(90) (OPT, 5kg)
-
190x140
-
145x57
204
5,4 / 3 / 3
MTS / VTR / VTR
S

2
20 / 120 / 100
152
Combi 4 Diesel
20
S
S (PACK HORON FIT)*
O (- kg)
S
S

S (PACK HORON FIT)*
-
400x400
-
28x28
S

PACK HORON FIT
S
1 x 200 W (PACK HORON FIT)
PACK OPEN AIR
White
-
PACK HORON FIT
S
PACK OPEN AIR
S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).




www.caravansinternational.it/global

HORON FIT 81 P



4 2 (+1 OPT) 4

LOW-PROFILE



2,15 → 6,69



MECHANICS AND CHASSIS

MECHANICAL UNIT
ENGINE, POWER
MANUAL GEARBOX
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)
WHEELBASE (MM)
MAXIMUM TOWABLE WEIGHT (KG)
WHEELS DIMENSIONS
CAB AIR CONDITIONING
DRIVER AND PASSENGER AIRBAG
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST
ABS / ESC / TRACTION+
DRIVER AND PASSENGER SWIVELLING SEATS
CAB SEAT COVERS
PAINTED FRONT BUMPER
FOG LIGHTS
INFOTAINMENT

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)
EXTERNAL WIDTH (MM)
EXTERNAL / INTERNAL HEIGHT (MM)
ISOFIX
HOMOLOGATED SEATS
BERTHS
REAR BED (CM)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)
OVERCAB BED (CM)
ELEVATING BED (CM)
CONVERTING TWIN BEDS INTO A DOUBLE BED
LOCKER (USEFUL OPENING, CM)
MAX. INTERNAL GARAGE HEIGHT (CM)
FLOOR / WALLS / ROOF THICKNESS (CM)
FLOOR / WALLS / ROOF MATERIAL
FIBERGLASS ROOF, HAIL-PROOF

INSTALLATIONS

BURNERS
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)
FRIDGE (LT)
HEATING SYSTEM
MAX CAPACITY OF GAS LOCKER (KG)**
ELECTRIC HANDBRAKE
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM
TRUMA INETX – CONTROL PANEL + APP
INTEGRATED AND ISOLATED ENTRY STEP
HEATED GARAGE LOCKER

SKYLIGHT

PANORAMIC ROOF (MM)
REAR SKYLIGHT (MM)
CENTRAL SKYLIGHT (MM)
DINETTE SKYLIGHT (MM)
TOILETTE PORTLIGHT (CM)
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET

EQUIPMENTS

PLEATED CABIN BLIND
REAR CAMERA
SOLAR PANEL WITH REGULATOR
AWNING
CAB COLOUR
AIR CONDITIONING IN THE LIVING AREA
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS
FLYSCREEN FOR ENTRANCE DOOR
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE
EXTERNAL LED LIGHT

FORD TRANSIT

2.0 TDCi Ford EcoBlue 130CV

Manual

3500

2775

280

3750

2000

16" Steel

Automatic

S

S

S / S / -

S

S (PACK HORON FIT)*

S (PACK HORON FIT)*

S

RADIO DAB TOUCHSCREEN 12"

6690

2150

2850 / 2040

S

4

2 (+1 OPT)

201x79 - 201x79 - 199x130

188x89(50) (OPT, 5kg)

-

-

S (OPT 190cm, 7 kg)

120x90 - 120x65

120

5,4 / 3 / 3

MTS / VTR / VTR

S

2

20 / 100 / 90

152

Combi 4 Diesel

20

S

S (PACK HORON FIT)*

O (- kg)

S

S

S (PACK HORON FIT)*

400x400

400x400

700x500

28x28

S

S (PACK HORON FIT)*

S

1 x 200 W (PACK HORON FIT)

PACK OPEN AIR

White

-

PACK HORON FIT

S

PACK OPEN AIR

S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).




www.caravansinternational.it/global

HORON FIT 81 XT

LOW-PROFILE WITH ELEVATING BED



4 3 (+1 OPT) 4



2,15 → 6,69



MECHANICS AND CHASSIS

MECHANICAL UNIT
ENGINE, POWER
MANUAL GEARBOX
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)
WHEELBASE (MM)
MAXIMUM TOWABLE WEIGHT (KG)
WHEELS DIMENSIONS
CAB AIR CONDITIONING
DRIVER AND PASSENGER AIRBAG
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST
ABS / ESC / TRACTION+
DRIVER AND PASSENGER SWIVELLING SEATS
CAB SEAT COVERS
PAINTED FRONT BUMPER
FOG LIGHTS
INFOTAINMENT

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)
EXTERNAL WIDTH (MM)
EXTERNAL / INTERNAL HEIGHT (MM)
ISOFIX
HOMOLOGATED SEATS
BERTHS
REAR BED (CM)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)
OVERCAB BED (CM)
ELEVATING BED (CM)
CONVERTING TWIN BEDS INTO A DOUBLE BED
LOCKER (USEFUL OPENING, CM)
MAX. INTERNAL GARAGE HEIGHT (CM)
FLOOR / WALLS / ROOF THICKNESS (CM)
FLOOR / WALLS / ROOF MATERIAL
FIBERGLASS ROOF, HAIL-PROOF

INSTALLATIONS

BURNERS
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)
FRIDGE (LT)
HEATING SYSTEM
MAX CAPACITY OF GAS LOCKER (KG)**
ELECTRIC HANDBRAKE
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM
TRUMA INETX – CONTROL PANEL + APP
INTEGRATED AND ISOLATED ENTRY STEP
HEATED GARAGE LOCKER

SKYLIGHT

PANORAMIC ROOF (MM)
REAR SKYLIGHT (MM)
CENTRAL SKYLIGHT (MM)
DINETTE SKYLIGHT (MM)
TOILETTE PORTLIGHT (CM)
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET

EQUIPMENTS

PLEATED CABIN BLIND
REAR CAMERA
SOLAR PANEL WITH REGULATOR
AWNING
CAB COLOUR
AIR CONDITIONING IN THE LIVING AREA
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS
FLYSCREEN FOR ENTRANCE DOOR
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE
EXTERNAL LED LIGHT

FORD TRANSIT
2.0 TDCi Ford EcoBlue 130CV
Manual
3500
2775
280
3750
2000
16" Steel
Automatic
S
S
S / S / -
S
S (PACK HORON FIT)*
S (PACK HORON FIT)*
S
RADIO DAB TOUCHSCREEN 12"
6690
2150
2850 / 2040
S
4
3 (+1 OPT)
201x79 - 201x79 - 199x130
188x89(50) (OPT, 5kg)
-
190x90
S (OPT 190cm, 7 kg)
120x90 - 120x65
120
5,4 / 3 / 3
MTS / VTR / VTR
S
2
20 / 100 / 90
152
Combi 4 Diesel
20
S
S (PACK HORON FIT)*
O (- kg)
S
S
S (PACK HORON FIT)*
400x400
400x400
-
28x28
S
PACK HORON FIT
S
1 x 200 W (PACK HORON FIT)
PACK OPEN AIR
White
-
PACK HORON FIT
S
PACK OPEN AIR
S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).




www.caravansinternational.it/global


HORON FIT 94 P

LOW-PROFILE

4(+1OPT) 2(+1OPT) 5



2,15 → 6,69



MECHANICS AND CHASSIS

MECHANICAL UNIT
ENGINE, POWER
MANUAL GEARBOX
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)
WHEELBASE (MM)
MAXIMUM TOWABLE WEIGHT (KG)
WHEELS DIMENSIONS
CAB AIR CONDITIONING
DRIVER AND PASSENGER AIRBAG
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST
ABS / ESC / TRACTION+
DRIVER AND PASSENGER SWIVELLING SEATS
CAB SEAT COVERS
PAINTED FRONT BUMPER
FOG LIGHTS
INFOTAINMENT

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)
EXTERNAL WIDTH (MM)
EXTERNAL / INTERNAL HEIGHT (MM)
ISOFIX
HOMOLOGATED SEATS
BERTHS
REAR BED (CM)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)
OVERCAB BED (CM)
ELEVATING BED (CM)
CONVERTING TWIN BEDS INTO A DOUBLE BED
LOCKER (USEFUL OPENING, CM)
MAX. INTERNAL GARAGE HEIGHT (CM)
FLOOR / WALLS / ROOF THICKNESS (CM)
FLOOR / WALLS / ROOF MATERIAL
FIBERGLASS ROOF, HAIL-PROOF

INSTALLATIONS

BURNERS
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)
FRIDGE (LT)
HEATING SYSTEM
MAX CAPACITY OF GAS LOCKER (KG)**
ELECTRIC HANDBRAKE
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM
TRUMA INETX – CONTROL PANEL + APP
INTEGRATED AND ISOLATED ENTRY STEP
HEATED GARAGE LOCKER

SKYLIGHT

PANORAMIC ROOF (MM)
REAR SKYLIGHT (MM)
CENTRAL SKYLIGHT (MM)
DINETTE SKYLIGHT (MM)
TOILETTE PORTLIGHT (CM)
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET

EQUIPMENTS

PLEATED CABIN BLIND
REAR CAMERA
SOLAR PANEL WITH REGULATOR
AWNING
CAB COLOUR
AIR CONDITIONING IN THE LIVING AREA
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS
FLYSCREEN FOR ENTRANCE DOOR
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE
EXTERNAL LED LIGHT

FORD TRANSIT

2.0 TDCi Ford EcoBlue 130CV

Manual

3500

2845

300

3300

2000

16" Steel

Automatic

S

S

S / S / -

S

S (PACK HORON FIT)*

S (PACK HORON FIT)*

S

RADIO DAB TOUCHSCREEN 12"

6410

2150

2850 / 2040

S

4 (+1 OPT)

2 (+1 OPT)

190x135(III)

200x93(50) (OPT, 5kg)

-

-

-

115x65 - 115x90

125

5,4 / 3 / 3

MTS / VTR / VTR

S

2

20 / 100 / 90

152

Combi 4 Diesel

20

S

S (PACK HORON FIT)*

O (- kg)

S

S

S (PACK HORON FIT)*

400x400

400x400

700x500

28x28

S

S (PACK HORON FIT)*

400x400

400x400

700x500

28x28

S

S (PACK HORON FIT)*

400x400

400x400

700x500

28x28

S

S (PACK HORON FIT)*

400x400

400x400

700x500

28x28

S

S= standard O=optional - = not available


*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON FIT 94 XT

LOW-PROFILE WITH ELEVATING BED



[2,15 → 6,69



MECHANICS AND CHASSIS

MECHANICAL UNIT
ENGINE, POWER
MANUAL GEARBOX
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)
WHEELBASE (MM)
MAXIMUM TOWABLE WEIGHT (KG)
WHEELS DIMENSIONS
CAB AIR CONDITIONING
DRIVER AND PASSENGER AIRBAG
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST
ABS / ESC / TRACTION+
DRIVER AND PASSENGER SWIVELLING SEATS
CAB SEAT COVERS
PAINTED FRONT BUMPER
FOG LIGHTS
INFOTAINMENT

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)
EXTERNAL WIDTH (MM)
EXTERNAL / INTERNAL HEIGHT (MM)
ISOFIX
HOMOLOGATED SEATS
BERTHS
REAR BED (CM)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)
OVERCAB BED (CM)
ELEVATING BED (CM)
CONVERTING TWIN BEDS INTO A DOUBLE BED
LOCKER (USEFUL OPENING, CM)
MAX. INTERNAL GARAGE HEIGHT (CM)
FLOOR / WALLS / ROOF THICKNESS (CM)
FLOOR / WALLS / ROOF MATERIAL
FIBERGLASS ROOF, HAIL-PROOF

INSTALLATIONS

BURNERS
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)
FRIDGE (LT)
HEATING SYSTEM
MAX CAPACITY OF GAS LOCKER (KG)**
ELECTRIC HANDBRAKE
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM
TRUMA INETX – CONTROL PANEL + APP
INTEGRATED AND ISOLATED ENTRY STEP
HEATED GARAGE LOCKER

SKYLIGHT

PANORAMIC ROOF (MM)
REAR SKYLIGHT (MM)
CENTRAL SKYLIGHT (MM)
DINETTE SKYLIGHT (MM)
TOILETTE PORTLIGHT (CM)
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET

EQUIPMENTS

PLEATED CABIN BLIND
REAR CAMERA
SOLAR PANEL WITH REGULATOR
AWNING
CAB COLOUR
AIR CONDITIONING IN THE LIVING AREA
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS
FLYSCREEN FOR ENTRANCE DOOR
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE
EXTERNAL LED LIGHT

FORD TRANSIT
2.0 TDCi Ford EcoBlue 130CV
Manual
3500
2845
300
3300
2000
16" Steel
Automatic
S
S
S / S / -
S
S (PACK HORON FIT)*
S (PACK HORON FIT)*
S
RADIO DAB TOUCHSCREEN 12"
6410
2150
2850 / 2040
S
4 (+1 OPT)
4 (+1 OPT)
190x135(111)
200x93(50) (OPT, 5kg)
-
190x132 (113)
-
115x65 - 115x90
125
5,4 / 3 / 3
MTS / VTR / VTR
S
2
20 / 100 / 90
152
Combi 4 Diesel
20
S
S (PACK HORON FIT)*
O (- kg)
S
S
S (PACK HORON FIT)*
400x400
400x400
-
28x28
S
PACK HORON FIT
S
1 x 200 W (PACK HORON FIT)
PACK OPEN AIR
White
-
PACK HORON FIT
S
PACK OPEN AIR
S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON FIT

Pack Options



		(KG)
HORON FIT PACK (1)	FORD TRANSIT 2.0 L 165 HP - BUMPER PAINTED IN BODY COLOUR - XL DOOR WITH 2 LOCKING POINTS, FEATURING A WINDOW AND CENTRAL LOCKING - 200W SOLAR PANEL WITH MPPT CONTROLLER - CP-PLUS CONTROL PANEL - SKYROOF - SINK/ CHOPPING BOARD COVER - CAB SEAT COVERS - PLEATED CAB BLINDS	Weight already included in the base vehicle
SELEKT PACK	8-SPEED AUTOMATIC TRANSMISSION	62
FORD DESIGN PACK (2)	CAB COLOUR: MOONDUST SILVER - 16" ALLOY WHEELS	-13
EXTRA ASSISTANCE PACK (2)	ELECTRIC WINDSCREEN DEFROSTER - ADAPTIVE CRUISE CONTROL WITH LANE CENTRING AND STOP&GO FUNCTION - PRE-COLLISION ASSISTANCE SYSTEM 2.2 - TRAFFIC SIGN RECOGNITION 3 (INTEGRATED WITH ADAPTIVE CRUISE CONTROL) - ELECTRICALLY FOLDING SIDE-MIRRORS - NAVIGATION SYSTEM (INCLUDES ONE YEAR'S SUBSCRIPTION) -	0
OPEN AIR PACK	ANTHRACITE AWNING (235: 3M - 230/294/281: 3.5M)" - EXTERNAL GAS OUTLET - SHOWER IN THE GARAGE	28
FREEDOM PACK	SECOND 200W SOLAR PANEL WITH MPPT CONTROLLER - 2ND 22 A BATTERY CHARGER - 2 X 100AH LITHIUM BATTERIES	34
WINTER PACK	INSULATED AND HEATED GREY WATER TANK - INSULATION FOR ENTRANCE STEP	11
32" SATELLITE TV PACK	SATELLITE DISH - TV ARM - 32" TV (SMART TV)	21
32" WIFI TV PACK	WI-FI ROUTER - TV ARM - 32" TV (SMART TV)	10

(1) HORON FIT Pack is mandatory. - (2) Selekt Pack is mandatory. 0 = Option

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

HORON FIT

Available Options



		HORON FIT					
		35 XT	30 XT	94 P	94 XT	81 P	81 XT
CHASSIS	KG						
Increase in maximum authorised mass to 3,550 kg	0	O	O	O	O	O	O
Bi-Xenon headlights with LED DRL*	0	O	O	O	O	O	O

* Selekt Pack and Design Pack are both mandatory.

LIVING UNIT	KG						
Dinette conversion into bed	5	O	O	O	O	O	O
Approved 5th seat belt	85	-	-	O	O	-	-
Fitsand upholstery (fabric + faux leather)	-	O	O			O	O
Conversion of twin beds into a 190 cm double bed	7	-	-	-	-	O	O
Rear skylight – Midi Heki [700x500]	5	O (central)	-	-	O	-	O
Omnivent skylight [400x400, with fan]	2	O	O	O	O	O	O
Oven	14	O	O	O	O	O	O
32" TV arm	3	O	O	O	O	O	O
Day/night partition curtain	2	-	-	O	O	O	O
Truma INETX control panel (with app)	-	O	O	O	O	O	O
Truma Combi 6 Diesel heating (6000W)	-	O	O	O	O	O	O
Truma Combi 6 Diesel + electric heating (6000W)	1	O	O	O	O	O	O
Bicycle rack **	12,5	O	O	O	O	O	O
Motorcycle rack ***	80	O	-	-	-	-	-
Electrically heated floor *	7	O	O	O	O	O	O
Partition curtain between cab and living area	3	O	O	O	O	O	O

* Available only in combination with Combi 6 Diesel + Electric.

** Not compatible with motorbike rack.


*** Not compatible with bike rack.

O = Optional



HORON 77 M

OVERCAB



2,35 → 6,99



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2907
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	0
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6990
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	3200 / 2040
ISOFIX	S
HOMOLOGATED SEATS	7
BERTHS	7
REAR BED (CM)	215x80 - 215x80
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	163x123 - 160x65
OVERCAB BED (CM)	211(193)x160
ELEVATING BED (CM)	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	110x58 - 110x58
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	800x600 (OPT, 11kg)
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	400x400
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 79 M

OVERCAB




6



8



6



2,35 → 6,99



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2967
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	25
WHEELBASE (MM)	3750
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6990
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	3200 / 2040
ISOFIX	S
HOMOLOGATED SEATS	6
BERTHS	8
REAR BED (CM)	200x130(110) - 210x110(90)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	185x120
OVERCAB BED (CM)	211(193)x160
ELEVATING BED (CM)	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	124
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	800x600 (OPT, 11kg)
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	400x400
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 84 M

OVERCAB




5



5



5



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2957
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	90
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	3200 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	210x80 - 210x80 - 215x130
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x65
OVERCAB BED (CM)	211(193)x160
ELEVATING BED (CM)	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	S (OPT 190cm, 7 kg)
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	800x600 (OPT, 11kg)
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	400x400
TOILETTE PORTLIGHT (CM)	28x28 / F
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 90 M Sport

OVERCAB




5



5



5



2,35 — 7,43



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	3017
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	35
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7430
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	3200 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	215x181
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x50
OVERCAB BED (CM)	211(193)x160
ELEVATING BED (CM)	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	130x135 - 130x135
MAX. INTERNAL GARAGE HEIGHT (CM)	184
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	800x600 (OPT, 11kg)
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	400x400
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	S
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	S
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 34 XT

Low-profile with elevating bed



5



4



4



2,35 → 6,99



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2875
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	170
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7430
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	207x130
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x87
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	158
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 65 XT

Low-profile with elevating bed




5



5



5



2,35 → 7,45



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2925
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	145
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	190x150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x50
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / F
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 66L XT



5




5



5

Low-profile with elevating bed



12,35 → 7,45



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2925
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	130
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	190x150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x100 (54)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / F
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 67 XT

Low-profile with elevating bed




4



4 (+1 OPT)



4



12,35 → 7,45



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2975
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	180
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	190x150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x90 (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / F
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available


*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 74 XT

Low-profile with elevating bed



2,35 → 7,30



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2865
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	100
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7300
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	6
BERTHS	6
REAR BED (CM)	212x86(64) - 210x86(64)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	187x68 - 178x68
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x160
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	110x58 - 110x58
MAX. INTERNAL GARAGE HEIGHT (CM)	137
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 84 XT

Low-profile with elevating bed



2,35 — 7,45



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2940
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	130
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	210x80 - 210x80 - 215x130
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x65
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S (OPT 190cm, 7 kg)
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / F
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 85 XT

Low-profile with elevating bed




5



5



5



2,35 → 6,99



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2935
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	140
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	210x80 - 210x80 - 215x130
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x65
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S (OPT 190cm, 7 kg)
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / F
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 87 XT

Low-profile with elevating bed




4



4 (+1 OPT)



4



2,35 — 7,45



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2985
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	170
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	210x80 - 220x80 - 215x130
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	215x90 (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S (OPT 190cm, 7 kg)
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / F
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 88 XT

Low-profile with elevating bed




5



5



5



2,35 → 7,45



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2940
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	130
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	200x80 + 190x80 - 215x160
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	215x60
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / F
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 95 XT

Low-profile with elevating bed



5



5



5



2,35 → 6,99



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2905
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	170
WHEELBASE (MM)	3750
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6990
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	207x137(122)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x50
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available


*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 98 XT

Low-profile with elevating bed



2,35 → 7,43



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2895
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	175
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7430
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	207x130
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x87
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	158
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available


*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 77 M

OVERCAB



2,35 → 6,99



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2848
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	40
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S (PACK HORON)*
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6990
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	3200 / 2040
ISOFIX	S
HOMOLOGATED SEATS	7
BERTHS	7
REAR BED (CM)	215x80 - 215x80
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	163x123 - 160x65
OVERCAB BED (CM)	211(193)x160
ELEVATING BED (CM)	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	110x58 - 110x58
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	800x600 (OPT, 11kg)
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	400x400
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 79 M

OVERCAB




6



8



6



2,35 → 6,99



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2898
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	75
WHEELBASE (MM)	3800
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S (PACK HORON)*
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6990
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	3200 / 2040
ISOFIX	S
HOMOLOGATED SEATS	6
BERTHS	8
REAR BED (CM)	200x130(110) - 210x110(90)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	185x120
OVERCAB BED (CM)	211(193)x160
ELEVATING BED (CM)	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	124
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	800x600 (OPT, 11kg)
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	400x400
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 84 M

OVERCAB




5



5



5



2,35 → 7,45



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2888
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	155
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S (PACK HORON)*
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	3200 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	210x80 - 210x80 - 215x130
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x65
OVERCAB BED (CM)	211(193)x160
ELEVATING BED (CM)	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	S (OPT 190cm, 7 kg)
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	800x600 (OPT, 11kg)
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	400x400
TOILETTE PORTLIGHT (CM)	28x28 / F
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	PACK OPEN AIR
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK OPEN AIR
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 90 M Sport

OVERCAB




5



5



5



2,35 → 7,43



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2948
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	95
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK HORON)*
PAINTED FRONT BUMPER	S (PACK HORON)*
FOG LIGHTS	S (PACK HORON)*
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7430
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	3200 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	215x181
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x50
OVERCAB BED (CM)	211(193)x160
ELEVATING BED (CM)	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	130x135 - 130x135
MAX. INTERNAL GARAGE HEIGHT (CM)	184
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK HORON)*
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	800x600 (OPT, 11kg)
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	400x400
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK HORON
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK HORON)
AWNING	S
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK HORON
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	S
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON

Pack Options



		OVERCAB - (FORD)	LOW-PRO- FILE - (FORD)	(KG)
HORON LOW PROFILE PACK FORD (1)	FORD TRANSIT 2.0 L 165 HP - BUMPER PAINTED IN BODY COLOUR - XL DOOR WITH 2 LOCKING POINTS, FEATURING A WINDOW AND CENTRAL LOCKING - CP-PLUS CONTROL PANEL - SINK/CHOPPING BOARD COVER - 200W SOLAR PANEL WITH MPPT CONTROLLER - SKYROOF - PLEATED CAB BLINDS - CAB SEAT COVERS	-	✓	Weight already included in the base vehicle
HORON OVERCAB PACK FORD (1)	FORD TRANSIT 2.0 L 165 HP - BUMPER PAINTED IN BODY COLOUR - XL DOOR WITH 2 LOCKING POINTS, FEATURING A WINDOW AND CENTRAL LOCKING - CP-PLUS CONTROL PANEL - SINK/CHOPPING BOARD COVER - 200W SOLAR PANEL WITH MPPT CONTROLLER - PLEATED CAB BLINDS - CAB SEAT COVERS	✓	-	Weight already included in the base vehicle
SELEKT PACK	8-SPEED AUTOMATIC TRANSMISSION	✓	✓	62
FORD DESIGN PACK (2)	CAB COLOUR: MOONDUST SILVER - 16" ALLOY WHEELS	✓	✓	-13
EXTRA ASSISTANCE PACK (2) (3)	ELECTRIC WINDSCREEN DEFROSTER - ADAPTIVE CRUISE CONTROL WITH LANE CENTRING AND STOP&GO FUNCTION - PRE-COLLISION ASSISTANCE SYSTEM 2.2 - "TRAFFIC SIGN RECOGNITION 3 (INTEGRATED WITH ADAPTIVE CRUISE CONTROL)" - NAVIGATION SYSTEM (INCLUDES ONE YEAR'S SUBSCRIPTION)	✓	✓	0
PACK EXTRA TECH*** OVERCAB	FULL DIGITAL CLUSTER - CLIMATIZZATORE AUTOMATIC - CARICA WIRELESS PER SMARTPHONE - FARI FULL LED	-	-	1
PACK EXTRA SAFETY *** - OVERCAB	FULL BRAKE CONTROL CON RILEVAMENTO PEDONI - SENSORI LUCE E PIOGGIA - ASSISTENZA AL MANTENIMENTO DELLA CORSIA - RICONOSCIMENTO SEGNALI STRADALI - AVVISO STANCHEZZA CONDUCENTE - INTELLIGENT SPEED ASSIST	-	-	0
FREEDOM PACK	SECOND 200W SOLAR PANEL WITH MPPT CONTROLLER - 2ND 22 A BATTERY CHARGER - 2 X 100AH LITHIUM BATTERIES			34
OPEN AIR PACK	ANTHRACITE AWNING (279M/285/295/234: 4M - 277M/284M/290M/274/298/284/287/288/265/267: 4.5M) - EXTERNAL GAS OUTLET - SHOWER IN THE GARAGE	✓ - (standard on 90 M)	✓	Ford: 32 - Fiat: 27
32" SATELLITE TV PACK	SATELLITE DISH - TV ARM - 32" TV (SMART TV)	✓	✓	21
32" WIFI TV PACK	WI-FI ROUTER - TV ARM - 32" TV (SMART TV)	✓	✓	10
WINTER PACK	INSULATED AND HEATED GREY WATER TANK - INSULATION FOR ENTRANCE STEP	✓	✓	11

(1) Horon Low Profile Pack Ford and Horon Overcab Pack Ford are mandatory. - (2) Selekt Pack is mandatory. - (3) HEAVY chassis is mandatory (can be registered as 3.5 t).

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

HORON

Pack Options



		OVERCAB - (FIAT)	(KG)
HORON OVERCAB PACK FIAT (1)	FOG LIGHTS - FRONT BUMPER IN BODY COLOUR - BLACK SKID PLATE - 16" TWO-TONE ALLOY WHEELS - LIVING AREA DOOR WITH 2 LOCKING POINTS, WINDOW AND CENTRAL LOCKING - CP-PLUS CONTROL PANEL - SINK/CHOPPING BOARD COVER - 200W SOLAR PANEL WITH MPPT CONTROLLER - PLEATED CAB BLINDS - CAB SEAT COVERS	-	Weight already included in the base vehicle
SELEKT PACK	8-SPEED AUTOMATIC TRANSMISSION	✓	48 48 - (**60)
EXTRA TECH PACK (2)	FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL) - AUTOMATIC CLIMATE CONTROL - WIRELESS SMARTPHONE CHARGER - FULL LED HEADLIGHTS	✓	1
EXTRA SAFETY PACK (2)	ADAPTIVE CRUISE CONTROL - LIGHT AND RAIN SENSORS WITH AUTOMATIC HIGH-BEAM ACTIVATION	✓	0
FREEDOM PACK	SECOND 200W SOLAR PANEL WITH MPPT CONTROLLER - 2ND 22 A BATTERY CHARGER - 2 X 100AH LITHIUM BATTERIES		34
OPEN AIR PACK	ANTHRACITE AWNING (279M: 4M - 277M/284M/290M: 4.5M) - EXTERNAL GAS OUTLET - SHOWER IN THE GARAGE	✓ - (standard on 90 M)	27
MOTION PACK	STEERING WHEEL AND GEAR KNOB WITH SOFT-TOUCH FINISH - TECHNO DASHBOARD - ELECTRIC PARKING BRAKE		-9
32" SATELLITE TV PACK	SATELLITE DISH - TV ARM - 32" TV (SMART TV)	✓	21
32" WIFI TV PACK	ROUTER WI-FI - TV ARM - TV 32" (SMART TV)	✓	10
WINTER PACK	INSULATED AND HEATED GREY WATER TANK - INSULATION FOR ENTRANCE STEP	✓	11

* Weight already included in the base vehicle. - ** Weight for HEAVY chassis. - (1) Horon Overcab Pack Fiat is mandatory. - (2) Motion Pack is mandatory.
O = Option | - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

HORON

Available Options



CHASSIS FORD - OPTION	KG	HORON FORD OVERCAB				HORON FORD										
		77 M	79 M	84 M	90 M	95 XT	85 XT	34 XT	98 XT	74 XT	84 XT	88 XT	87 XT	65 XT	67 XT	66L XT
Chassis with maximum permissible mass of 4,100 kg *	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Maximum permissible mass increased to 3,550 kg	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Bi-Xenon headlights with LED DRL**	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O

* Automatic gearbox and Extra Assistance Pack are both mandatory. Can be registered as 3,500 kg.

**SELEKT Pack and Design Pack are both mandatory.

CHASSIS - OPTIONALS	KG															
Fitsand upholstery (fabric + faux leather)	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Dinette conversion into bed	5	S	S	S	S	S	S	S	S	S	S	S	O	S	O	S
Conversion of twin beds into a 190 cm double bed	-	-	-	O	-	1	O	-	-	-	O	S (160 cm)	O	-	-	-
Skyroof	11	O	O	O	O	P. KRO. PROF. FORD	P. KRO. PROF. FORD	P. KRO. PROF. FORD	P. KRO. PROF. FORD	P. KRO. PROF. FORD	P. KRO. PROF. FORD	P. KRO. PROF. FORD	P. KRO. PROF. FORD	P. KRO. PROF. FORD	P. KRO. PROF. FORD	P. KRO. PROF. FORD
Rear skylight - Midi Heki [700x500]	5	O	O	O	O	O	O	O (central)	O	O	O	O	O	O	O	O
Omnivent skylight [400x400, with fan]	2	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Oven	14	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
32" TV arm	3	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Day/night partition curtain	2	O	O	-	-	O	O	-	-	-	-	-	-	-	-	-
Pleated day/night partition curtain	3	-	-	S	-	-	-	-	O	O	S	-	S	-	-	S
Truma INETX control panel (with app)	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Truma Combi 6 Gas heating (6000W)	-	O	O	O	O	O	O	-	O	O	O	O	O	O	O	O
Truma Combi 6 Gas + Electric heating (6000W)	1	O	O	O	O	O	O	-	O	O	O	O	O	O	O	O
Truma Combi 6 Diesel heating (6000W)	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Truma Combi 6 Diesel + electric heating (6000W)	1	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Electrically heated floor *	7	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Bicycle rack	12,5	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Partition curtain between cab and living area	3	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O

* Available only in combination with Combi 6 Gas + Electric or Combi 6 Diesel + Electric. O = Option

S = Standard

- = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

HORON

Available Options



		OVERCAB - HORON FIAT			
		77 M	79 M	84 M	90 M
CHASSIS	KG				
160 hp	Manual: 10**** - Automatic: 48 **	O	O	O	O
180 hp Automatic gearbox	48 **	O	O	O	O
Cab colour "SOLID" - EXPEDITION GREY [676]	-	O	O	O	O
Cab colour "METALLIC" - ARTENSE GREY [113]	-	O	O	O	O
Increased gross vehicle weight to 3,650 kg	-	O	O	O	O
HEAVY** chassis 4,250 kg* / 4,400 kg*	Manual: 62 - Automatic: 82***	4,25 t: 140 CV M e AT / 160 CV M - 4,4 t: 160 CV AT / 180 CV AT	4,25 t: 140 CV M e AT / 160 CV M - 4,4 t: 160 CV AT	4,25 t: 140 CV M e AT / 160 CV M - 4,4 t: 160 CV AT / 180 CV AT	4,25 t: 140 CV M e AT / 160 CV M - 4,4 t: 160 CV AT / 180 CV AT
Pioneer radio navigation system with 3-year European map subscription	-	O	O	O	O

* All HEAVY chassis can also be registered as 3,500 kg or 4,250 kg.

** See available engine options in each column.

*** Weight of automatic gearbox already included.

**** 82 kg for the HaEAVY chassis.

M = Manual gearbox | AT = Automatic gearbox

LIVING UNIT	KG				
Fitsand upholstery (fabric + faux leather)	0	O	O	O	O
Conversion of twin beds into a 190 cm double bed	1	-	-	O	
Skyroof	11	O	O	O	O
Rear skylight - Midi Heki [700x500]	5	O	O	O	O
Omnivent skylight [400x400, with fan]	2	O	O	O	O
Oven	14	O	O	O	O
32" TV arm	3	O	O	O	O
Day/night partition curtain	2	O	O	-	-
Truma INETX control panel (with app)	0	O	O	O	O
Truma Combi 6 Gas heating (6000W)	0	O	O	O	O
Truma Combi 6 Gas + Electric heating (6000W)	1	O	O	O	O
Truma Combi 6 Diesel heating (6000W)	0	O	O	O	O
Truma Combi 6 Diesel + electric heating (6000W)	1	O	O	O	O
Electrically heated floor *	7	O	O	O	O
Bicycle rack	12,5	O	O	O	O
Partition curtain between cab and living area	3	O	O	O	O

* Available only in combination with Combi 6 Gas + Electric or Combi 6 Diesel + Electric. O = Option | - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

HORON 34 XT

SILVER EDITION

Low-profile with elevating bed



2,35 → 6,99



5



4



5

MECHANICS AND CHASSIS

MECHANICAL UNIT
ENGINE, POWER
MANUAL GEARBOX
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)
WHEELBASE (MM)
MAXIMUM TOWABLE WEIGHT (KG)
WHEELS DIMENSIONS
CAB AIR CONDITIONING
DRIVER AND PASSENGER AIRBAG
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST
ABS / ESC / TRACTION+
DRIVER AND PASSENGER SWIVELLING SEATS
CAB SEAT COVERS
PAINTED FRONT BUMPER
FOG LIGHTS
INFOTAINMENT

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)
EXTERNAL WIDTH (MM)
EXTERNAL / INTERNAL HEIGHT (MM)
ISOFIX
HOMOLOGATED SEATS
BERTHS
REAR BED (CM)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)
OVERCAB BED (CM)
ELEVATING BED (CM)
CONVERTING TWIN BEDS INTO A DOUBLE BED
LOCKER (USEFUL OPENING, CM)
MAX. INTERNAL GARAGE HEIGHT (CM)
FLOOR / WALLS / ROOF THICKNESS (CM)
FLOOR / WALLS / ROOF MATERIAL
FIBERGLASS ROOF, HAIL-PROOF

INSTALLATIONS

BURNERS
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)
FRIDGE (LT)
HEATING SYSTEM
MAX CAPACITY OF GAS LOCKER (KG)**
ELECTRIC HANDBRAKE
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM
TRUMA INETx - CONTROL PANEL + APP
INTEGRATED AND ISOLATED ENTRY STEP
HEATED GARAGE LOCKER

SKYLIGHT

PANORAMIC ROOF (MM)
REAR SKYLIGHT (MM)
CENTRAL SKYLIGHT (MM)
DINETTE SKYLIGHT (MM)
TOILETTE PORTLIGHT (CM)
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET

EQUIPMENTS

PLEATED CABIN BLIND
REAR CAMERA
SOLAR PANEL WITH REGULATOR
AWNING
CAB COLOUR
AIR CONDITIONING IN THE LIVING AREA
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS
FLYSCREEN FOR ENTRANCE DOOR
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE
EXTERNAL LED LIGHT

CITROËN	
CITROËN JUMPER	
2,2 BlueHDi 140 CV	
Automatico	
3500	
2926	
80	
4035	
2000	
16" Alloy	
Manual	
S	
S	
S / S / S	
S	
S	
S	
RADIO TOUCHSCREEN 9"	
6990	
2350	
2850 / 2040	
S	
5	
4	
-	
214x126	
-	
203x160	
-	
170x75 - 170x75	
117 (219)	
5,4 / 3 / 3	
MTS / VTR / VTR	
S	
2	
20 / 120 / 100	
158	
Combi 4 Diesel	
20	
O (PACK MOTION, -9kg)	
S	
O (- kg)	
S	
S	
1000x800 (PACK HORON)*	
400x400	
400x400	
-	
28x28	
S	
S	
S	
S (1 x 200 W)	
S	
Artense Grey	
-	
S	
S	
S	
S	

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).




www.caravansinternational.it/global

HORON 95 XT

SILVER EDITION

Low-profile with elevating bed



2,35 → 6,99



MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BlueHDi 140 CV
MANUAL GEARBOX	Automatico
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2946
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	130
WHEELBASE (MM)	3800
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Alloy
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO TOUCHSCREEN 9"
DIMENSIONS AND PLACES	
EXTERNAL LENGTH (MM)	6990
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	207x137(122)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x50
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S
INSTALLATIONS	
BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S
SKYLIGHT	
PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S (1 x 200 W)
AWNING	S
CAB COLOUR	Artense Grey
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	S
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 66L XT

SILVER EDITION

Low-profile with elevating bed




5



5



5



2,35 → 7,45



CITROËN

MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BlueHDi 140 CV
MANUAL GEARBOX	Automatico
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2966
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	40
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Alloy
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO TOUCHSCREEN 9"
DIMENSIONS AND PLACES	
EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	190x150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x100 (54)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S
INSTALLATIONS	
BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S
SKYLIGHT	
PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / F
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S (1x200 W)
AWNING	S
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	S
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	S
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 67 XT

SILVER EDITION

Low-profile with elevating bed




4



4 (+1 OPT)



4



2,35 → 7,45



CITROËN

MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BlueHDi 140 CV
MANUAL GEARBOX	Automatico
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	3016
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	135
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Alloy
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO TOUCHSCREEN 9"
DIMENSIONS AND PLACES	
EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	190x150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x90 (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S
INSTALLATIONS	
BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S
TRUMA INETX - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S
SKYLIGHT	
PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / F
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S (1 x 200 W)
AWNING	S
CAB COLOUR	Artense Grey
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	S
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON 84 XT

SILVER EDITION

Low-profile with elevating bed




5



5



5



2,35 → 7,45



CITROËN

MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BlueHDi 140 CV
MANUAL GEARBOX	Automatico
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2976
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	70
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Alloy
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO TOUCHSCREEN 9"
DIMENSIONS AND PLACES	
EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	210x80 - 210x80 - 215x130
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x65
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S (OPT 190cm, 7 kg)
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S
INSTALLATIONS	
BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S
TRUMA INETx - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S
SKYLIGHT	
PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / F
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S (1 x 200 W)
AWNING	S
CAB COLOUR	Artense Grey
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	S
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).




www.caravansinternational.it/global

HORON 87 XT

SILVER EDITION

Low-profile with elevating bed



MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BlueHDi 140 CV
MANUAL GEARBOX	Automatico
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	3026
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	130
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Alloy
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO TOUCHSCREEN 9"
DIMENSIONS AND PLACES	
EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	210x80 - 220x80 - 215x130
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	215x90 (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S (OPT 190cm, 7 kg)
LOCKER (USEFUL OPENING, CM)	115x90 - 115x90
MAX. INTERNAL GARAGE HEIGHT (CM)	120
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S
INSTALLATIONS	
BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 100
FRIDGE (LT)	152
HEATING SYSTEM	Combi 4 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S
TRUMA INETx - CONTROL PANEL + APP	O (- kg)
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S
SKYLIGHT	
PANORAMIC ROOF (MM)	1000x800 (PACK HORON)*
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / F
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S (1 x 200 W)
AWNING	S
CAB COLOUR	Artense Grey
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	S
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).




www.caravansinternational.it/global

HORON 88 XT

SILVER EDITION

Low-profile with elevating bed



MECHANICS AND CHASSIS

MECHANICAL UNIT
ENGINE, POWER
MANUAL GEARBOX
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)
WHEELBASE (MM)
MAXIMUM TOWABLE WEIGHT (KG)
WHEELS DIMENSIONS
CAB AIR CONDITIONING
DRIVER AND PASSENGER AIRBAG
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST
ABS / ESC / TRACTION+
DRIVER AND PASSENGER SWIVELLING SEATS
CAB SEAT COVERS
PAINTED FRONT BUMPER
FOG LIGHTS
INFOTAINMENT

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)
EXTERNAL WIDTH (MM)
EXTERNAL / INTERNAL HEIGHT (MM)
ISOFIX
HOMOLOGATED SEATS
BERTHS
REAR BED (CM)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)
OVERCAB BED (CM)
ELEVATING BED (CM)
CONVERTING TWIN BEDS INTO A DOUBLE BED
LOCKER (USEFUL OPENING, CM)
MAX. INTERNAL GARAGE HEIGHT (CM)
FLOOR / WALLS / ROOF THICKNESS (CM)
FLOOR / WALLS / ROOF MATERIAL
FIBERGLASS ROOF, HAIL-PROOF

INSTALLATIONS

BURNERS
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)
FRIDGE (LT)
HEATING SYSTEM
MAX CAPACITY OF GAS LOCKER (KG)**
ELECTRIC HANDBRAKE
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM
TRUMA INETx - CONTROL PANEL + APP
INTEGRATED AND ISOLATED ENTRY STEP
HEATED GARAGE LOCKER

SKYLIGHT

PANORAMIC ROOF (MM)
REAR SKYLIGHT (MM)
CENTRAL SKYLIGHT (MM)
DINETTE SKYLIGHT (MM)
TOILETTE PORTLIGHT (CM)
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET

EQUIPMENTS

PLEATED CABIN BLIND
REAR CAMERA
SOLAR PANEL WITH REGULATOR
AWNING
CAB COLOUR
AIR CONDITIONING IN THE LIVING AREA
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS
FLYSCREEN FOR ENTRANCE DOOR
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE
EXTERNAL LED LIGHT

CITROËN JUMPER
2,2 BlueHDi 140 CV
Automatico
3500
2976
70
4035
2000
16" Alloy
Manual
S
S
S / S / S
S
S
S
S
RADIO TOUCHSCREEN 9"
7450
2350
2850 / 2040
S
5
5
200x80 + 190x80 - 215x160
215x60
-
203x135(114)
S
115x90 - 115x90
120
5,4 / 3 / 3
MTS / VTR / VTR
S
2
20 / 100 / 100
152
Combi 4 Diesel
20
O (PACK MOTION, -9kg)
S
O (- kg)
S
S
1000x800 (PACK HORON)*
400x400
400x400
-
28x28 / F
S
S
S
S (1 x 200 W)
S
Artense Grey
-
S
S
S
S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

HORON SILVER EDITION

Pack Options



		(KG)
EXTRA SAFETY PACK (1)	ADAPTIVE CRUISE CONTROL - LIGHT AND RAIN SENSORS WITH AUTOMATIC HIGH-BEAM ACTIVATION - (1) MOTION PACK IS MANDATORY.	0
EXTRA TECH PACK (1)	FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL) - AUTOMATIC CLIMATE CONTROL - WIRELESS SMARTPHONE CHARGER - FULL LED HEADLIGHTS	1
MOTION PACK	STEERING WHEEL AND GEAR KNOB WITH SOFT-TOUCH FINISH - TECHNO DASHBOARD - ELECTRIC PARKING BRAKE	-9
FREEDOM PACK	SECOND 200W SOLAR PANEL WITH MPPT CONTROLLER - 2ND 22 A BATTERY CHARGER - 2 X 100AH LITHIUM BATTERIES	34
WINTER PACK	INSULATED AND HEATED GREY WATER TANK - INSULATION FOR ENTRANCE STEP	11
32" SATELLITE TV PACK	SATELLITE DISH - TV ARM - 32" TV (SMART TV)	21
32" WIFI TV PACK	WI-FI ROUTER - TV ARM - 32" TV (SMART TV)	10

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

HORON SILVER EDITION

Available Options



		HORON SILVER EDITION						
		34 XT	95 XT	84 XT	88 XT	87 XT	67 XT	66L XT
CHASSIS	KG							
160 hp Automatic transmission	****	O	O	O	O	O	O	O
180 hp Automatic transmission	****	O	O	O	O	O	O	O
Increased gross vehicle weight to 3,650 kg	0	O	O	O	O	O	O	O
HEAVY** chassis 4,250 kg* / 4,400 kg*	22****	4,25t: 140 HP AT 4,4t: 160HP AT / 180HP AT	4,25t: 140 HP AT 4,4t: 160HP AT	4,25t: 140 HP AT 4,4t: 160HP AT	4,25t: 140 HP AT 4,4t: 160HP AT	4,25t: 140 HP AT 4,4t: 160HP AT	4,25t: 140 HP AT 4,4t: 160HP AT	4,25t: 140 HP AT 4,4t: 160HP AT
Pioneer radio navigation system with 3-year European map subscription	0	O	O	O	O	O	O	O

* All HEAVY chassis can also be registered as 3,500 kg or 4,250 kg.

** See available engine options in each column.

*** Weight of automatic gearbox already included.

**** 22 kg for the HEAVY chassis.

AT = Automatic gearbox | O = Optional

LIVING UNIT	KG							
Dinette conversion into bed	5	S	S	S	S	O	O	S
Conversion of twin beds into a 190 cm double bed	1	-	-	O	S (160 cm)	O	-	-
Rear skylight - Midi Heki [700x500]	5	O (central)	O	O	O	O	O	O
Omnivent skylight [400x400, with fan]	2	O	O	O	O	O	O	O
Oven	14	O	O	O	O	O	O	O
32" TV arm	3	O	O	O	O	O	O	O
Day/night partition curtain	2	-	O	-	-	-	-	-
Truma INETX control panel (with app)	-	O	O	O	O	O	O	O
Truma Combi 6 Gas heating (6000W)	-	-	O	O	O	O	O	O
Truma Combi 6 Gas + Electric heating (6000W)	1	-	O	O	O	O	O	O
Truma Combi 6 Diesel heating (6000W)	-	O	O	O	O	O	O	O
Truma Combi 6 Diesel + electric heating (6000W)	1	O	O	O	O	O	O	O
Electrically heated floor *	7	O	O	O	O	O	O	O
Bicycle rack	12,5	O	O	O	O	O	O	O
Partition curtain between cab and living area	3	O	O	O	O	O	O	O

* Available only in combination with Combi 6 Gas + Electric or Combi 6 Diesel + Electric. O = Option

- = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

MAGIS 66 XT

Low-profile with elevating bed




4



4(+1OPT)



4



2,35 → 7,45



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2988
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	130
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S (PACK MAGIS)*
FOG LIGHTS	S (PACK MAGIS)*
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	190x150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	215x99 (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 66 P

Low-profile



4



4(+1OPT)



4



2,35 → 7,45



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2988
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	130
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S (PACK MAGIS)*
FOG LIGHTS	S (PACK MAGIS)*
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	3
REAR BED (CM)	190x150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	215x99
OVERCAB BED (CM)	-
ELEVATING BED (CM)	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	700x500
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 67 XT

Low-profile with elevating bed




4



4(+1OPT)



5



2,35 → 7,45



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2968
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	140
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S (PACK MAGIS)*
INFOTAINMENT	S (PACK MAGIS)*
	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	190x150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x80 (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).




www.caravansinternational.it/global

MAGIS 82 XT



Low-profile with elevating bed



2,35 → 7,43



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	3018
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	35
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S (PACK MAGIS)*
FOG LIGHTS	S (PACK MAGIS)*
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7430
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	200x80 - 200x80
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	213x65
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	145x65 - 40x95 - 40x95
MAX. INTERNAL GARAGE HEIGHT (CM)	204
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 85
FRIDGE (LT)	158
HEATING SYSTEM	ALDE 6 a circolazione d'acqua
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL PANEL FOR THE COMBINED SYSTEM	Comando Alde dedicato
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 85 XT

Low-profile with elevating bed



5



5



5



[2,35 — 6,99



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2928
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	90
WHEELBASE (MM)	3800
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S (PACK MAGIS)*
INFOTAINMENT	S (PACK MAGIS)*
	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6990
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	200x81 - 199x81 - 215x165
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x85(65)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	121
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 87 XT

Low-profile with elevating bed




4



4(+1OPT)



5



[2,35 → 7,45



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2978
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	140
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S (PACK MAGIS)*
INFOTAINMENT	S (PACK MAGIS)*
	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGHT (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	200x81 - 200x81 - 215x171
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	215x99 (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	121
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 87 P

Low-profile



4



4(+1OPT)



5



[2,35 → 7,45



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2978
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	140
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S (PACK MAGIS)*
FOG LIGHTS	S (PACK MAGIS)*
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGHT (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	3
REAR BED (CM)	200x81 - 200x81 - 215x171
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	215x99
OVERCAB BED (CM)	-
ELEVATING BED (CM)	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	S
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	121
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	700x500
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 95 XT

Low-profile with elevating bed



5



5



5



[2,35 → 6,99



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2898
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	140
WHEELBASE (MM)	3800
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S (PACK MAGIS)*
FOG LIGHTS	S (PACK MAGIS)*
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6990
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	207x137(122)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x50
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	125
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 67 INT

Integral




4



4 (+1 OPT)



5



2,35 → 7,45



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2968
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	150
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (sedili foderati)
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	190x150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x111(80) (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	190x145
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	-
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	700x500
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 87 INT

Integral




4



4(+1OPT)



5



2,35 → 7,45



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2978
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	150
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (sedili foderati)
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	200x81 - 200x81 - 215x171
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x111(80) (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	190x145
CONVERTING TWIN BEDS INTO A DOUBLE BED	S
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	121
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	-
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	700x500
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS

Pack Options



		(KG)
MAGIS FIAT PACK (1)	FOG LIGHTS - FRONT BUMPER IN BODY COLOUR - BLACK SKID PLATE - 16" TWO-TONE ALLOY WHEELS - LIVING AREA DOOR WITH 2 LOCKING POINTS, WINDOW AND CENTRAL LOCKING - 200W SOLAR PANEL WITH MPPT CONTROLLER - PLEATED CAB BLINDS - ANTHRACITE AWNING (285TL/295TL: 4M / OTHER MODELS: 4.5M) - EXTERNAL GAS SOCKET + SHOWER IN THE GARAGE	Weight already included in the base vehicle
MAGIS INTEGRAL PACK (1)	FOG LIGHTS - 16" TWO-TONE ALLOY WHEELS - LIVING AREA DOOR WITH 2 LOCKING POINTS, WINDOW AND CENTRAL LOCKING - 200W SOLAR PANEL WITH MPPT CONTROLLER - ANTHRACITE AWNING 5M - EXTERNAL GAS SOCKET + SHOWER IN THE GARAGE	Weight already included in the base vehicle
SELEKT PACK	8-SPEED AUTOMATIC TRANSMISSION	48 (*60)
MOTION PACK	STEERING WHEEL AND GEAR KNOB WITH SOFT-TOUCH FINISH - TECHNO DASHBOARD - ELECTRIC PARKING BRAKE	-9
EXTRA TECH PACK (2)	FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL) - AUTOMATIC CLIMATE CONTROL - WIRELESS SMARTPHONE CHARGER - FULL LED HEADLIGHTS	1
EXTRA TECH MH PACK (2)	FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL) - AUTOMATIC CLIMATE CONTROL - WIRELESS SMARTPHONE CHARGER	1
EXTRA SAFETY PACK (2)	ADAPTIVE CRUISE CONTROL - LIGHT AND RAIN SENSORS WITH AUTOMATIC HIGH-BEAM ACTIVATION	0
FREEDOM PACK	SECOND 200W SOLAR PANEL WITH MPPT CONTROLLER - 2ND 22 A BATTERY CHARGER - 2 X 100AH LITHIUM BATTERIES	34
32" SATELLITE TV PACK	SATELLITE DISH - TV ARM - 32" TV (SMART TV)	21
32" WIFI TV PACK	WI-FI ROUTER - TV ARM - TV 32" (32" TV (SMART TV) SMART TV)	10

* Weight for HEAVY chassis. - (1) Magis Fiat Pack and Magis MH Pack are mandatory. - (2) Motion Pack is mandatory.

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

MAGIS

Available Options



		LOW-PROFILE								INTEGRAL	
		85 XT	95 XT	87 P	87 XT	66 P	66 XT	67 XT	82 XT	87 Integral	67 Integral
CHASSIS	KG										
160 hp	Manual: 10**** - Automatic: 48 **	O	O	O	O	O	O	O	O	O	O
180 hp Automatic gearbox	48 **	O	O	O	O	O	O	O	O	O	O
Cab colour "SOLID" - EXPEDITION GREY [676]	-	O	O	O	O	O	O	O	O	-	-
Cab colour "METALLIC" - ARTENSE GREY [113]	-	O	O	O	O	O	O	O	O	-	-
Increased gross vehicle weight to 3,650 kg	-	O	O	O	O	O	O	O	O	O	O
HEAVY** chassis 4,250 kg* / 4,400 kg*	Manual: 62 - Automatic: 82***	4,25 t: 140 CV M e AT / 160 CV M - 4,4 t: 160 CV AT	4,25 t: 140 CV M e AT / 160 CV M - 4,4 t: 160 CV AT	4,25 t: 140 CV M e AT / 160 CV M - 4,4 t: 160 CV AT	4,25 t: 140 CV M e AT / 160 CV M - 4,4 t: 160 CV AT	4,25 t: 140 CV M e AT / 160 CV M - 4,4 t: 160 CV AT	4,25 t: 140 CV M e AT / 160 CV M - 4,4 t: 160 CV AT	4,25 t: 140 CV M e AT / 160 CV M - 4,4 t: 160 CV AT	4,25 t: 140 CV M e AT / 160 CV M - 4,4 t: 160 CV AT	4,4 t: 160 CV AT / 180 CV AT	4,4 t: 160 CV AT / 180 CV AT
Pioneer radio navigation system with 3-year European map subscription	-	O	O	O	O	O	O	O	O	O	O

* All HEAVY chassis can also be registered as 3,500 kg or 4,250 kg.

** See available engine options in each column.

*** Weight of automatic gearbox is already included.

**** 82 kg for the HEAVY chassis.

O = Option | - =Not available | M = Manual gearbox | AT = Automatic gearbox

LIVING UNIT	KG										
Noto upholstery (imitation leather)	-	O	O	O	O	O	O	O	O	O	O
Dinette conversion into bed	5	S	S	S	O	S	O	O	S	O	O
HEKI 3 front skylight [900x600]	6	-	-	-	-	-	-	-	-	O	O
Rear skylight - Midi Heki [700x500]	5	O	O	O	O	O	O	O	O	O	O
Omnivent skylight [400x400, with fan]	2	O	O	O	O	O	O	O	O	O	O
Oven	14	O	O	O	O	O	O	O	O	O	O
32" TV arm	3	O	O	O	O	O	O	O	O	O	O
Day/night partition curtain	2	-	O	-	-	-	-	-	-	-	-
Truma Combi 6 Gas heating (6000W)	-	O	O	O	O	O	O	O	-	O	O
Truma Combi 6 Gas + Electric heating (6000W)	1	O	O	O	O	O	O	O	-	O	O
Truma Combi 6 Diesel + electric heating (6000W)	1	O	O	O	O	O	O	O	-	O	O
Electrically heated floor *	7	O	O	O	O	O	O	O	S	O	O
Bicycle rack	12,5	O	O	O	O	O	O	O	O	O	O
Partition curtain between cab and living area	3	O	O	O	O	O	O	O	O	-	-

* Available only in combination with Combi 6 Gas + Electric or Combi 6 Diesel + Electric. - O = Option | - =Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

MAGIS 66 XT

Low-profile with elevating bed




4



4(+1OPT)



4



2,35 → 7,45



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	3025
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	47
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	190x150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	215x99 (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 66 P

Low-profile




4



4(+1OPT)



4



2,35 → 7,45



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2995
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	130
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	S
	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	3
REAR BED (CM)	190x150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	215x99
OVERCAB BED (CM)	-
ELEVATING BED (CM)	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	700x500
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 67 XT -

Low-profile with elevating bed




4



4(+1OPT)



5



2,35 → 7,45



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2975
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	140
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	S
	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	190x150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x80 (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 82 XT

Low-profile with elevating bed




5



5



5



2,35 → 7,43



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	3025
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	47
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7430
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	200x80 - 200x80
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	213x65
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	145x65 - 40x95 - 40x95
MAX. INTERNAL GARAGE HEIGHT (CM)	204
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 85
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	Comando Alde dedicato
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 85 XT

Low-profile with elevating bed



5



5



5



[2,35 → 6,99



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2935
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	90
WHEELBASE (MM)	3750
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	S
	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGHT (MM)	6990
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	200x81 - 199x81 - 215x165
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x85 (65)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	121
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 87 XT

Low-profile with elevating bed



4



4(+1OPT)



5



[2,35 → 7,45



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2985
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	140
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	200x81 - 200x81 - 215x171
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	215x99 (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135(114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	S
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	121
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 87 P

Low-profile




4



4(+1OPT)



5



[2,35 → 7,45



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 165CV
MANUAL GEARBOX	Automatic
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	
WHEELBASE (MM)	3954
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	3
REAR BED (CM)	200x81 - 200x81 - 215x171
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	215x99
OVERCAB BED (CM)	-
ELEVATING BED (CM)	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	S
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	121
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	700x500
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 95 XT

Low-profile with elevating bed




5



5



5



[2,35 → 6,99



MECHANICS AND CHASSIS

MECHANICAL UNIT	FORD TRANSIT
ENGINE, POWER	2.0 TDCi Ford EcoBlue 130CV
MANUAL GEARBOX	Manual
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2905
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	140
WHEELBASE (MM)	3750
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Steel
CAB AIR CONDITIONING	Automatic
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / -
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	S
	RADIO DAB TOUCHSCREEN 12"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6990
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	5
BERTHS	5
REAR BED (CM)	207x137(122)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x50
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	125
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 100 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	PACK MAGIS
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	1 x 200 W (PACK MAGIS)
AWNING	PACK MAGIS
CAB COLOUR	White
AIR CONDITIONING IN THE LIVING AREA	-
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	PACK MAGIS
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	PACK MAGIS
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS

Pack Options



		PESO (KG)
MAGIS FORD PACK (1)	FORD TRANSIT 2.0 L 165 HP - BUMPER PAINTED IN BODY COLOUR - XL DOOR WITH 2 LOCKING POINTS, FEATURING A WINDOW AND CENTRAL LOCKING - 200W SOLAR PANEL WITH MPPT CONTROLLER - PLEATED CAB BLINDS - ANTHRACITE VERANDA (285TL/295TL: 4M / OTHER MODELS: 4.5M) - EXTERNAL GAS SOCKET + SHOWER IN THE GARAGE	Weight already included in the base vehicle
SELEKT PACK	8-SPEED AUTOMATIC TRANSMISSION	62
FORD DESIGN PACK (2)	CAB COLOUR: MOONDUST SILVER - 16" ALLOY WHEELS	-13
EXTRA ASSISTANCE PACK - (2) (3)	ELECTRIC WINDSCREEN DEFROSTER - ADAPTIVE CRUISE CONTROL WITH LANE CENTRING AND STOP&GO FUNCTION - PRE-COLLISION ASSISTANCE SYSTEM 2.2 - TRAFFIC SIGN RECOGNITION 3 (INTEGRATED WITH ADAPTIVE CRUISE CONTROL) - "NAVIGATION SYSTEM (INCLUDES ONE YEAR'S SUBSCRIPTION)	0
FREEDOM PACK	SECOND 200W SOLAR PANEL WITH MPPT CONTROLLER - 2ND 22 A BATTERY CHARGER - 2 X 100AH LITHIUM BATTERIES	34
32" SATELLITE TV PACK	SATELLITE DISH - TV ARM - 32" TV (SMART TV)	21
32" WIFI TV PACK	WI-FI ROUTER - TV ARM - 32" TV (SMART TV)	10

(1) Magis Ford Pack is mandatory.

(2) Selekt Pack is mandatory.

(3) HEAVY chassis is mandatory (type-approved for 3.5 t).

0 = Option | - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

MAGIS

Available Options



			LOW-PROFILE							
			85 XT	95 XT	87 P	87 XT	66 P	66 XT	67 XT	82 XT WE
CHASSIS		KG								
Chassis with maximum permissible mass of 4,100 kg *		0	O	O	O	O	O	O	O	O
Maximum permissible mass increased to 3,550 kg		0	O	O	O	O	O	O	O	O
Bi-Xenon headlights with LED DRL**		0	O	O	O	O	O	O	O	O

* Automatic gearbox and Extra Assistance Pack are both mandatory. Can be registered as 3,500 kg.

** Selekt Pack and Design Pack are both mandatory.

LIVING unit		KG								
Noto upholstery (faux leather)		-	O	O	O	O	O	O	O	O
Dinette conversion into bed		5	S	S	S	O	S	O	O	S
Rear skylight - Midi Heki [700x500]		5	O	O	O	O	O	O	O	O
Omnivent skylight [400x400, with fan]		2	O	O	O	O	O	O	O	O
Oven		14	O	O	O	O	O	O	O	O
32" TV arm		3	O	O	O	O	O	O	O	O
Day/night partition curtain		2	-	O	-	-	-	-	-	-
Truma Combi 6 Gas heating (6000W)		-	O	O	O	O	O	O	O	-
Truma Combi 6 Gas + Electric heating (6000W)		1	O	O	O	O	O	O	O	-
Truma Combi 6 Diesel + electric heating (6000W)		1	O	O	O	O	O	O	O	-
Electrically heated floor *		7	O	O	O	O	O	O	O	S
Bicycle rack		12,5	O	O	O	O	O	O	O	O
Partition curtain between cab and living area		3	O	O	O	O	O	O	O	O

* Available only in combination with Combi 6 Gas + Electric or Combi 6 Diesel + Electric.

O = Option | - = Not available

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).




www.caravansinternational.it/global

MAGIS 66 XT

AIR EDITION

Low-profile with elevating bed



2,35 → 7,45



MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Automatic
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	3036
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	15
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Alloy
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	190x150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	215x99 (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	203x135 (114)
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	400x400
DINETTE SKYLIGHT (MM)	-
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S
AWNING	S
CAB COLOUR	Artense Grey
AIR CONDITIONING IN THE LIVING AREA	S
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	S
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).




www.caravansinternational.it/global

MAGIS 66 P

AIR EDITION

Low-profile with elevating bed



2,35 → 7,45



4



4(+1OPT)



4

MECHANICS AND CHASSIS

MECHANICAL UNIT
ENGINE, POWER
MANUAL GEARBOX
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)
WHEELBASE (MM)
MAXIMUM TOWABLE WEIGHT (KG)
WHEELS DIMENSIONS
CAB AIR CONDITIONING
DRIVER AND PASSENGER AIRBAG
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST
ABS / ESC / TRACTION+
DRIVER AND PASSENGER SWIVELLING SEATS
CAB SEAT COVERS
PAINTED FRONT BUMPER
FOG LIGHTS
INFOTAINMENT

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)
EXTERNAL WIDTH (MM)
EXTERNAL / INTERNAL HEIGHT (MM)
ISOFIX
HOMOLOGATED SEATS
BERTHS
REAR BED (CM)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)
OVERCAB BED (CM)
ELEVATING BED (CM)
CONVERTING TWIN BEDS INTO A DOUBLE BED
LOCKER (USEFUL OPENING, CM)
MAX. INTERNAL GARAGE HEIGHT (CM)
FLOOR / WALLS / ROOF THICKNESS (CM)
FLOOR / WALLS / ROOF MATERIAL
FIBERGLASS ROOF, HAIL-PROOF

INSTALLATIONS

BURNERS
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)
FRIDGE (LT)
HEATING SYSTEM
MAX CAPACITY OF GAS LOCKER (KG)**
ELECTRIC HANDBRAKE
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM
TRUMA INETX – CONTROL PANEL + APP
INTEGRATED AND ISOLATED ENTRY STEP
HEATED GARAGE LOCKER

SKYLIGHT

PANORAMIC ROOF (MM)
REAR SKYLIGHT (MM)
CENTRAL SKYLIGHT (MM)
DINETTE SKYLIGHT (MM)
TOILETTE PORTLIGHT (CM)
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET

EQUIPMENTS

PLEATED CABIN BLIND
REAR CAMERA
SOLAR PANEL WITH REGULATOR
AWNING
CAB COLOUR
AIR CONDITIONING IN THE LIVING AREA
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS
FLYSCREEN FOR ENTRANCE DOOR
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE
EXTERNAL LED LIGHT

FIAT

FIAT DUCATO

2,2 MJ 140 CV

Automatic

3500

3036

15

4035

2000

16" Alloy

Manual

S

S

S / S / S

S

S

S

S

RADIO TOUCHSCREEN 9"

7450

2350

2850 / 2040

S

4

3

190x150

215x99

-

-

120x90 - 120x90

117

5,4 / 3 / 3

MTS / VTR / VTR

S

2

20 / 120 / 90

158

Combi 6 Diesel

20

O (PACK MOTION, -9kg)

-

S

S

S

1000x800

400x400

-

700x500

28x28 / 28x28

S

S

S

S

S

Artense Grey

S

S

S

S

S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).




www.caravansinternational.it/global

MAGIS 87 XT

AIR EDITION

Low-profile with elevating bed



[2,35 → 7,45



4



4(+1OPT)



5

MECHANICS AND CHASSIS

MECHANICAL UNIT
ENGINE, POWER
MANUAL GEARBOX
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)
WHEELBASE (MM)
MAXIMUM TOWABLE WEIGHT (KG)
WHEELS DIMENSIONS
CAB AIR CONDITIONING
DRIVER AND PASSENGER AIRBAG
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST
ABS / ESC / TRACTION+
DRIVER AND PASSENGER SWIVELLING SEATS
CAB SEAT COVERS
PAINTED FRONT BUMPER
FOG LIGHTS
INFOTAINMENT

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)
EXTERNAL WIDTH (MM)
EXTERNAL / INTERNAL HEIGHT (MM)
ISOFIX
HOMOLOGATED SEATS
BERTHS
REAR BED (CM)
DIMENSIONS AUXILIARY BED IN DINETTE (CM)
OVERCAB BED (CM)
ELEVATING BED (CM)
CONVERTING TWIN BEDS INTO A DOUBLE BED
LOCKER (USEFUL OPENING, CM)
MAX. INTERNAL GARAGE HEIGHT (CM)
FLOOR / WALLS / ROOF THICKNESS (CM)
FLOOR / WALLS / ROOF MATERIAL
FIBERGLASS ROOF, HAIL-PROOF

INSTALLATIONS

BURNERS
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)
FRIDGE (LT)
HEATING SYSTEM
MAX CAPACITY OF GAS LOCKER (KG)**
ELECTRIC HANDBRAKE
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM
TRUMA INETX – CONTROL PANEL + APP
INTEGRATED AND ISOLATED ENTRY STEP
HEATED GARAGE LOCKER

SKYLIGHT

PANORAMIC ROOF (MM)
REAR SKYLIGHT (MM)
CENTRAL SKYLIGHT (MM)
DINETTE SKYLIGHT (MM)
TOILETTE PORTLIGHT (CM)
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET

EQUIPMENTS

PLEATED CABIN BLIND
REAR CAMERA
SOLAR PANEL WITH REGULATOR
AWNING
CAB COLOUR
AIR CONDITIONING IN THE LIVING AREA
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS
FLYSCREEN FOR ENTRANCE DOOR
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE
EXTERNAL LED LIGHT

FIAT

FIAT DUCATO

2,2 MJ 140 CV

Automatic

3500

3026

25

4035

2000

16" Alloy

Manual

S

S

S / S / S

S

S

S

S

RADIO TOUCHSCREEN 9"

7450

2350

2850 / 2040

S

4

4 (+1 OPT)

200x81 - 200x81 - 215x171

215x99 (OPT, 5kg)

-

203x135(114)

S

120x90 - 120x90

121

5,4 / 3 / 3

MTS / VTR / VTR

S

2

20 / 120 / 90

158

Combi 6 Diesel

20

O (PACK MOTION, -9kg)

-

S

S

S

1000x800

400x400

400x400

-

28x28 / 28x28

S

S

S

S

S

Artense Grey

S

S

S

S

S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 87 P

AIR EDITION

Low-profile



[2,35 → 7,45



4



4(+1OPT)



5

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Automatico
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	3026
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	25
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Alloy
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGHT (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	3
REAR BED (CM)	200x81 - 200x81 - 215x171
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	215x99
OVERCAB BED (CM)	-
ELEVATING BED (CM)	-
CONVERTING TWIN BEDS INTO A DOUBLE BED	S
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	121
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	1000x800
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	700x500
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S
AWNING	S
CAB COLOUR	Artense Grey
AIR CONDITIONING IN THE LIVING AREA	S
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	S
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 66 INT

AIR EDITION

Integral




4



4 (+1 OPT)



5



2,35 → 7,45



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Automatic
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	3036
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	15
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Alloy
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	190x150
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x111(80) (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	190x145
CONVERTING TWIN BEDS INTO A DOUBLE BED	-
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	117
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	-
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	700x500
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S
AWNING	S
CAB COLOUR	-
AIR CONDITIONING IN THE LIVING AREA	S
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	S
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS 87 INT

AIR EDITION

Integral




4



4(+1OPT)



5



2,35 → 7,45



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	FIAT DUCATO
ENGINE, POWER	2,2 MJ 140 CV
MANUAL GEARBOX	Automatico
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	3026
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	25
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2000
WHEELS DIMENSIONS	16" Alloy
CAB AIR CONDITIONING	Manual
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	RADIO TOUCHSCREEN 9"

DIMENSIONS AND PLACES

EXTERNAL LENGHT (MM)	7450
EXTERNAL WIDTH (MM)	2350
EXTERNAL / INTERNAL HEIGHT (MM)	2850 / 2040
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
REAR BED (CM)	200x81 - 200x81 - 215x171
DIMENSIONS AUXILIARY BED IN DINETTE (CM)	216x111(80) (OPT, 5kg)
OVERCAB BED (CM)	-
ELEVATING BED (CM)	190x145
CONVERTING TWIN BEDS INTO A DOUBLE BED	S
LOCKER (USEFUL OPENING, CM)	120x90 - 120x90
MAX. INTERNAL GARAGE HEIGHT (CM)	121
FLOOR / WALLS / ROOF THICKNESS (CM)	5,4 / 3 / 3
FLOOR / WALLS / ROOF MATERIAL	MTS / VTR / VTR
FIBERGLASS ROOF, HAIL-PROOF	S

INSTALLATIONS

BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 120 / 90
FRIDGE (LT)	158
HEATING SYSTEM	Combi 6 Diesel
MAX CAPACITY OF GAS LOCKER (KG)**	20
ELECTRIC HANDBRAKE	O (PACK MOTION, -9kg)
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
TRUMA INETX - CONTROL PANEL + APP	S
INTEGRATED AND ISOLATED ENTRY STEP	S
HEATED GARAGE LOCKER	S

SKYLIGHT

PANORAMIC ROOF (MM)	-
REAR SKYLIGHT (MM)	400x400
CENTRAL SKYLIGHT (MM)	-
DINETTE SKYLIGHT (MM)	700x500
TOILETTE PORTLIGHT (CM)	28x28 / 28x28
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S
REAR CAMERA	S
SOLAR PANEL WITH REGULATOR	S
AWNING	S
CAB COLOUR	-
AIR CONDITIONING IN THE LIVING AREA	S
ENTRANCE DOOR WITH TWO CENTRAL LOCKING POINTS	S
FLYSCREEN FOR ENTRANCE DOOR	S
OUTDOOR GAS SOCKET + HOSE IN THE GARAGE	S
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).



www.caravansinternational.it/global

MAGIS AIR EDITION

Pack Options



MAGIS AIR EDITION		(KG)
MOTION PACK	STEERING WHEEL AND GEAR KNOB WITH SOFT-TOUCH FINISH - TECHNO DASHBOARD - ELECTRIC PARKING BRAKE	-9
EXTRA TECH PACK (1) <i>Low-profile</i>	FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL) - AUTOMATIC CLIMATE CONTROL - WIRELESS SMARTPHONE CHARGER - FULL LED HEADLIGHTS	1
EXTRA TECH MH PACK (1) <i>Integral</i>	FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL) - AUTOMATIC CLIMATE CONTROL - WIRELESS SMARTPHONE CHARGER	1
EXTRA SAFETY PACK (1) <i>Low-profile</i>	ADAPTIVE CRUISE CONTROL - LIGHT AND RAIN SENSORS WITH AUTOMATIC HIGH-BEAM ACTIVATION	0
32" SATELLITE TV PACK	SATELLITE DISH - TV ARM - 32" TV (SMART TV)	21
32" WIFI TV PACK	WI-FI ROUTER - TV ARM - 32" TV (SMART TV)	10

* Weight for HEAVY chassis - (1) Motion Pack required -

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

MAGIS AIR EDITION

Available Options



		LOW-PROFILE					Integral	
			87 P	87 XT	66 P	66L XT	87 Integral	66 Integral
CHASSIS		KG						
160 hp Automatic gearbox		0****	O	O	O	O	O	O
180 hp Automatic gearbox		0****	O	O	O	O	O	O
Increased gross vehicle weight to 3,650 kg		0	O	O	O	O	O	O
HEAVY chassis** 4,250Kg* / 4,400Kg*		22****	"4,25t: 140 CV AT 4,4t: 160CV AT / 180CV AT"	"4,25t: 140 CV AT 4,4t: 160CV AT / 180CV AT"	"4,25t: 140 CV AT 4,4t: 160CV AT / 180CV AT"	"4,25t: 140 CV AT 4,4t: 160CV AT / 180CV AT"	4,4t: 160CV AT / 180CV AT	4,4t: 160CV AT / 180CV AT
Pioneer radio navigation system with 3-year European map subscription		0	O	O	O	O	O	O

* All HEAVY chassis can also be registered as 3,500 kg or 4,250 kg - ** Check engines available on each column - *** Weight of automatic gearbox already included - **** 22 kg for the HEAVY chassis - O = Option - = Not available M: Manual AT: Automatic -

LIVING CELL		KG						
Dinette converts into a bed		5	S	O	S	O	O	O
HEKI 3 front skylight [900x600]		6	-	-	-	-	O	O
Rear skylight - Midi Heki [700x500]		5	O	O	O	O	O	O
Omnivent skylight [400x400, with fan]		2	O	O	O	O	O	O
Oven		14	O	O	O	O	O	O
Truma Combi 6 Gas heating (6000W)		0	O	O	O	O	O	O
Truma Combi 6 Gas + Electric heating (6000W)		1	O	O	O	O	O	O
Truma Combi 6 Diesel + electric heating (6000W)		1	O	O	O	O	O	O
Electrically heated floor *		7	O	O	O	O	O	O
Bicycle rack		12,5	O	O	O	O	O	O
Partition curtain between cab and living area		3	O	O	O	O	-	-

* Available only in combination with Combi 6 Gas + Electric or Combi 6 Diesel + Electric

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

KYROS K2




4



2



4



[2,05 → 5,41



MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BlueHDi 120 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2854
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	320
WHEELBASE (MM)	3450
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	-
FOG LIGHTS	-
INFOTAINMENT	-
DIMENSIONS AND PLACES	
EXTERNAL LENGHT (MM)	5410
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	194x136(125)
POP-UP BED + PORTLIGHT (CM)***	-
TRANSVERSAL BED IN DINETTE	-
INSTALLATIONS	
BURNERS	2
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	90 / 90 / 75
FRIDGE (LT)	84
HEATING SYSTEM	Combi 4 Diesel
GAS BOTTLES (MAX KG)*	2x5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	-
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	-
REAR CAMERA	-
SOLAR PANEL (FITTED) WITH REGULATOR	-
AWNING	-
SHOWER TRAY WITH DUAL DRAINAGE	S
CAB COLOUR	White
MOSQUITO NET FOR THE SIDE DOOR	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
EXTERNAL LED LIGHT	-

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)



www.caravansinternational.it/global

KYROS 2




4



2



4



[2,05 → 5,99



MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BlueHDi 120 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2774
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	370
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	-
FOG LIGHTS	-
INFOTAINMENT	-
DIMENSIONS AND PLACES	
EXTERNAL LENGHT (MM)	5995
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	194x148
POP-UP BED + PORTLIGHT (CM)***	-
TRANSVERSAL BED IN DINETTE	-
INSTALLATIONS	
BURNERS	2
"MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)"	20 / 85 / 90
FRIDGE (LT)	84
HEATING SYSTEM	Combi 4 Diesel
GAS BOTTLES (MAX KG)*	2x5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	-
SKYLIGHT 400X400 (MM)	1
"PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET"	S
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	-
REAR CAMERA	-
SOLAR PANEL (FITTED) WITH REGULATOR	-
AWNING	-
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	White
MOSQUITO NET FOR THE SIDE DOOR	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
EXTERNAL LED LIGHT	-

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)



www.caravansinternational.it/global

KYROS 5




4



4



4



[2,05 → 5,99



MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BlueHDi 120 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2844
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	325
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15" Steel
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED FRONT BUMPER	-
FOG LIGHTS	-
INFOTAINMENT	-
DIMENSIONS AND PLACES	
EXTERNAL LENGHT (MM)	5995
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4
REAR BED (CM)	186x145 - 184x133
POP-UP BED + PORTLIGHT (CM)***	-
TRANSVERSAL BED IN DINETTE	-
INSTALLATIONS	
BURNERS	2
"MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)"	20 / 90 / 90
FRIDGE (LT)	84
HEATING SYSTEM	Combi 4 Diesel
GAS BOTTLES (MAX KG)*	2x5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	-
SKYLIGHT 400X400 (MM)	1
"PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET"	S
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	-
REAR CAMERA	-
SOLAR PANEL (FITTED) WITH REGULATOR	-
AWNING	-
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	White
MOSQUITO NET FOR THE SIDE DOOR	S
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	-
EXTERNAL LED LIGHT	-

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)



www.caravansinternational.it/global

KYROS DUO




4



2



4



[2,05 → 6,36



MECHANICS AND CHASSIS

MECHANICAL UNIT
ENGINE, POWER
MANUAL GEARBOX
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)
WHEELBASE (MM)
MAXIMUM TOWABLE WEIGHT (KG)
WHEELS DIMENSIONS
CAB AIR CONDITIONING
DRIVER AND PASSENGER AIRBAG
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST
ABS / ESC / TRACTION+
DRIVER AND PASSENGER SWIVELLING SEATS
CAB SEAT COVERS
PAINTED FRONT BUMPER
FOG LIGHTS
INFOTAINMENT

DIMENSIONS AND PLACES

EXTERNAL LENGHT (MM)
EXTERNAL WIDTH (MM)
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)
ISOFIX
HOMOLOGATED SEATS
BERTHS
REAR BED (CM)
POP-UP BED + PORTLIGHT (CM)***
TRANSVERSAL BED IN DINETTE

INSTALLATIONS

BURNERS
MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)
FRIDGE (LT)
HEATING SYSTEM
GAS BOTTLES (MAX KG)*
FLOOR THICKNESS (MM) + PS INSULATION (MM)
INTERNAL INSULATION MATERIAL (WALLS/ROOF)

SKYLIGHT

PANORAMIC SKYLIGHT 700X500 (MM)
SKYLIGHT 400X400 (MM)
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET

EQUIPMENTS

PLEATED CABIN BLIND
REAR CAMERA
SOLAR PANEL (FITTED) WITH REGULATOR
AWNING
SHOWER TRAY WITH DUAL DRAINAGE
CAB COLOUR
MOSQUITO NET FOR THE SIDE DOOR
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM
EXTERNAL LED LIGHT



CITROËN JUMPER
2,2 BlueHdi 140 CV

S
3500
2882
265
4035
2500
15" Steel
S
S
S
S / S / S
S
S
-
-
-
6365
2050
2650 / 1890
S
4
2
190x80 - 185x82 - 194x190(185)
-
-
2
20 / 85 / 90
84
Combi 4 Diesel
2x5
10 + 26
ECOFIBER + R-ECOFIBER
-
1
S
S
S
-
-
-
-
White
S
-
-

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)



www.caravansinternational.it/global

KYROS

Available Options



		KYROS			
		K2	2	5	DUO
CHASSIS	KG				
Delta 120 hp - 140 hp	0	0	0	0	S

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

KYROS GO K2




4



2



4



[2,05 → 5,41



MECHANICS AND CHASSIS

MECHANICAL UNIT
ENGINE, POWER
MANUAL GEARBOX
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)
WHEELBASE (MM)
MAXIMUM TOWABLE WEIGHT (KG)
WHEELS DIMENSIONS
CAB AIR CONDITIONING
DRIVER AND PASSENGER AIRBAG
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST
ABS / ESC / TRACTION+
DRIVER AND PASSENGER SWIVELLING SEATS
CAB SEAT COVERS
PAINTED FRONT BUMPER
FOG LIGHTS
INFOTAINMENT

CITROËN JUMPER
2,2 BlueHDi 140 CV
S
3500
2854
310
3450
2500
16" Alloy
S
S
S
S / S / S
S
S (PACK COMFORT)*
S
S
O (PACK TRAVEL 4 kg)

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)
EXTERNAL WIDTH (MM)
EXTERNAL HEIGHT (CM) / INTERNAL HEIGHT (CM)
ISOFIX
HOMOLOGATED SEATS
BERTHS
REAR BED (CM)
POP-UP BED + PORTLIGHT (CM)***
TRANSVERSAL BED IN DINETTE

5410
2050
2650 / 1890
S
4
2
194x136(125)
O (200x130)
185x95/66 (OPT, 15 kg)

INSTALLATIONS

BURNERS
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)
FRIDGE (LT)
HEATING SYSTEM
GAS BOTTLES (MAX KG)*
FLOOR THICKNESS (MM) + PS INSULATION (MM)
INTERNAL INSULATION MATERIAL (WALLS/ROOF)

2
90 / 90 / 75
84
Combi 4 Diesel
2x5
10 + 26
ECOFIBER + R-ECOFIBER

SKYLIGHT

PANORAMIC SKYLIGHT 700X500 (MM)
SKYLIGHT 400X400 (MM)
*PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET

-
1
S (PACK COMFORT)*
S
S

EQUIPMENTS

PLEATED CABIN BLIND
REAR CAMERA
SOLAR PANEL (FITTED) WITH REGULATOR
AWNING
SHOWER TRAY WITH DUAL DRAINAGE
CAB COLOUR
MOSQUITO NET FOR THE SIDE DOOR
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM
EXTERNAL LED LIGHT

S (PACK COMFORT)*
O (PACK TRAVEL 4 kg)
S (PACK PRESTIGE)*
S (PACK PRESTIGE)*
S
White
S (PACK COMFORT)*
S (PACK COMFORT)*
S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).


**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)



www.caravansinternational.it/global

KYROS GO 2



[2,05 → 5,99



MECHANICS AND CHASSIS

MECHANICAL UNIT
ENGINE, POWER
MANUAL GEARBOX
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)
WHEELBASE (MM)
MAXIMUM TOWABLE WEIGHT (KG)
WHEELS DIMENSIONS
CAB AIR CONDITIONING
DRIVER AND PASSENGER AIRBAG
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST
ABS / ESC / TRACTION+
DRIVER AND PASSENGER SWIVELLING SEATS
CAB SEAT COVERS
PAINTED FRONT BUMPER
FOG LIGHTS
INFOTAINMENT

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)
EXTERNAL WIDTH (MM)
EXTERNAL HEIGHT (CM) / INTERNAL HEIGHT (CM)
ISOFIX
HOMOLOGATED SEATS
BERTHS
REAR BED (CM)
POP-UP BED + PORTLIGHT (CM)***
TRANSVERSAL BED IN DINETTE

INSTALLATIONS

BURNERS
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)
FRIDGE (LT)
HEATING SYSTEM
GAS BOTTLES (MAX KG)*
FLOOR THICKNESS (MM) + PS INSULATION (MM)
INTERNAL INSULATION MATERIAL (WALLS/ROOF)

SKYLIGHT

PANORAMIC SKYLIGHT 700X500 (MM)
SKYLIGHT 400X400 (MM)
*PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET

EQUIPMENTS

PLEATED CABIN BLIND
REAR CAMERA
SOLAR PANEL (FITTED) WITH REGULATOR
AWNING
SHOWER TRAY WITH DUAL DRAINAGE
CAB COLOUR
MOSQUITO NET FOR THE SIDE DOOR
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM
EXTERNAL LED LIGHT



CITROËN JUMPER
2,2 BlueHdi 140 CV
S
3500
2774
275
4035
2500
16" Alloy
S
S
S
S / S / S
S
S (PACK COMFORT)*
S
S
O (PACK TRAVEL 4 kg)
5995
2050
2650 / 1890
S
4
2
194x148
O (200x130)
185x95/66 (OPT, 15 kg)
2
20 / 85 / 90
84
Combi 4 Diesel
2x5
10 + 26
ECOFIBER + R-ECOFIBER
-
1
S (PACK COMFORT)*
S
S
S (PACK COMFORT)*
O (PACK TRAVEL 4 kg)
S (PACK PRESTIGE)*
S (PACK PRESTIGE)*
-
White
S (PACK COMFORT)*
S (PACK COMFORT)*
S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)



www.caravansinternational.it/global

KYROS GO 5




4



4



4



[2,05 → 5,99



MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BlueHDi 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2844
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	255
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16" Alloy
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK COMFORT)*
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	O (PACK TRAVEL 4 kg)
DIMENSIONS AND PLACES	
EXTERNAL LENGHT (MM)	5995
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	4
REAR BED (CM)	186x145 - 184x133
POP-UP BED + PORTLIGHT (CM)***	O (200x130)
TRANSVERSAL BED IN DINETTE	185x95/66 (OPT, 15 kg)
INSTALLATIONS	
BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 90 / 90
FRIDGE (LT)	84
HEATING SYSTEM	Combi 4 Diesel
GAS BOTTLES (MAX KG)*	2x5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	-
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S (PACK COMFORT)
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S (PACK COMFORT)*
REAR CAMERA	O (PACK TRAVEL 4 kg)
SOLAR PANEL (FITTED) WITH REGULATOR	S (PACK PRESTIGE)*
AWNING	S (PACK PRESTIGE)*
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	White
MOSQUITO NET FOR THE SIDE DOOR	S (PACK COMFORT)*
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK COMFORT)*
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)



www.caravansinternational.it/global

KYROS GO DUO




4



2



4



[2,05 → 6,36



MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER
ENGINE, POWER	2,2 BlueHDi 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2882
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	175
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16" Alloy
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK COMFORT)*
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	O (PACK TRAVEL 4 kg)
DIMENSIONS AND PLACES	
EXTERNAL LENGHT (MM)	6365
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	190x80 - 185x82 - 194x190(185)
POP-UP BED + PORTLIGHT (CM)***	O (200x130)
TRANSVERSAL BED IN DINETTE	185x95/66 (OPT, 15 kg)
INSTALLATIONS	
BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 85 / 90
FRIDGE (LT)	84
HEATING SYSTEM	Combi 4 Diesel
GAS BOTTLES (MAX KG)*	2x5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	-
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S (PACK COMFORT)
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S (PACK COMFORT)*
REAR CAMERA	O (PACK TRAVEL 4 kg)
SOLAR PANEL (FITTED) WITH REGULATOR	S (PACK PRESTIGE)*
AWNING	S (PACK PRESTIGE)*
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	White
MOSQUITO NET FOR THE SIDE DOOR	S (PACK COMFORT)*
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK COMFORT)*
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)



www.caravansinternational.it/global

KYROS GO

Pack Options



KYROS GO		(KG)
COMFORT PACK	SEAT COVERS - EXTERNAL LIGHT - CP PLUS CONTROL PANEL - MIDI HEKI SKYLIGHT (700X500) IN THE DINETTE AREA - MOSQUITO NET ON THE SLIDING DOOR - ELECTRIC ACCESS STEP - PLEATED CAB BLINDS	Weight already included in the base vehicle
PRESTIGE PACK	200W SOLAR PANEL - AWNING	Weight already included in the base vehicle
MOTION PACK	STEERING WHEEL AND GEAR KNOB WITH SOFT-TOUCH FINISH - TECHNO DASHBOARD - ELECTRIC PARKING BRAKE	-9
PACK EXTRA SAFETY (1)	ADAPTIVE CRUISE CONTROL - LIGHT AND RAIN SENSORS WITH AUTOMATIC HIGH-BEAM ACTIVATION	0
EXTRA TECH PACK (1)	FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL) - AUTOMATIC CLIMATE CONTROL - WIRELESS SMARTPHONE CHARGER - FULL LED HEADLIGHTS	1
VISION PACK	ELECTRICALLY FOLDING WING MIRRORS - BLIND SPOT SENSORS + REAR CROSS-TRAFFIC ALERT	1
SELEKT PACK (not available on 120HP)	8-SPEED AUTOMATIC TRANSMISSION	60
TRAVEL PACK	9" PIONEER RADIO WITH BLUETOOTH / APPLE CARPLAY / ANDROID AUTO - REAR-VIEW CAMERA	4

(1) Motion Pack is mandatory.

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

KYROS GO

Available Options



		KYROS GO			
		K2	2	5	DUO
CHASSIS	KG				
Delta 140 hp - 160 hp	Manual: 10 Autom: 60	O	O	O	O
Delta 140 hp - 180 hp automatic gearbox	60	O	O	O	O
HEAVY** chassis at 4,250 kg*	Manual: 45 Autom: 0	-	O	O	O
"SOLID" body colour - Expedition Grey / Lanzarote	0	O	O	O	O
Body colour: "METALLIC" - Iron Grey / Artense Grey / Metallic Black	0	O	O	O	O
Pioneer radio navigation system with 3-year European map subscription	0	O	O	O	O

* All HEAVY chassis can also be registered as 3,500 kg.

** See available engine options in each column.

O = Option | M = Manual gearbox | AT = Automatic gearbox

LIVING UNIT	KG				
Openable skyroof	20	-	-	-	-
AGM service battery	30	O	O	O	O
100Ah lithium battery	13	O	O	O	O
150Ah lithium battery	16	O	O	O	O
POP UP White - Lift-up roof with double bed (not compatible with Sky Roof)	125	O	O	O	O
POP UP Black - Lift-up roof with double bed (not compatible with Sky Roof)	125	O	O	O	O
POP UP Black + SKY ROOF - Pop-up roof with double bed	130	-	-	-	-
Winter Tent for POP UP	2	O	O	O	O
Conversion of the dinette into a transverse single bed	15	O	O	O	O
Small extra bed in the cab	9	O	O	O	O
Winter Pack (thermal insulation for grey water tank and external pipes)	3	O	O	O	O
Truma Combi C4 4000W Gas + Electric	1	O	O	O	O
Truma Combi C6 6000W Gas	0	O	O	O	O
Truma Combi C6 6000W Gas + electric	1	O	O	O	O
Truma Combi C6 6000W diesel + electric	1	O	O	O	O
Rear left window	8	-	-	-	-
Truma INETX control panel (with app)	0	-	-	-	-
Aluminium technical floor + ramp	19	-	-	-	-
Storage modules under the twin beds	32	-	-	-	-

S = Standard | O = Option | - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

KYROS ELITE 2




4



2



4



[2,05 → 5,99



FIAT

MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER / FIAT DUCATO
ENGINE, POWER	2,2 BlueHdi 140 CV / 2,2 MJ 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2774
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	280
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16" Alloy
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK COMFORT)*
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	O (PACK TRAVEL 4 kg)
DIMENSIONS AND PLACES	
EXTERNAL LENGHT (MM)	5995
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	194x148
POP-UP BED + PORTLIGHT (CM)***	O (200x130)
TRANSVERSAL BED IN DINETTE	185x95/66 (OPT, 15 kg)
INSTALLATIONS	
BURNERS	2
"MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)"	20 / 85 / 90
FRIDGE (LT)	84
HEATING SYSTEM	Combi 4 Diesel
GAS BOTTLES (MAX KG)*	2x5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	O
SKYLIGHT 400X400 (MM)	1
"PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET"	S (PACK COMFORT)*
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S (PACK COMFORT)*
REAR CAMERA	O (PACK TRAVEL 4 kg)
SOLAR PANEL (FITTED) WITH REGULATOR	S (PACK PRESTIGE)*
AWNING	S (PACK PRESTIGE)*
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	White
MOSQUITO NET FOR THE SIDE DOOR	S (PACK COMFORT)*
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK COMFORT)*
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).


**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)



www.caravansinternational.it/global

KYROS ELITE 5



[2,05 → 5,99



MECHANICS AND CHASSIS

MECHANICAL UNIT
ENGINE, POWER
MANUAL GEARBOX
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)
WHEELBASE (MM)
MAXIMUM TOWABLE WEIGHT (KG)
WHEELS DIMENSIONS
CAB AIR CONDITIONING
DRIVER AND PASSENGER AIRBAG
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST
ABS / ESC / TRACTION+
DRIVER AND PASSENGER SWIVELLING SEATS
CAB SEAT COVERS
PAINTED FRONT BUMPER
FOG LIGHTS
INFOTAINMENT

DIMENSIONS AND PLACES

EXTERNAL LENGHT (MM)
EXTERNAL WIDTH (MM)
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)
ISOFIX
HOMOLOGATED SEATS
BERTHS
REAR BED (CM)
POP-UP BED + PORTLIGHT (CM)***
TRANSVERSAL BED IN DINETTE

INSTALLATIONS

BURNERS
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)
FRIDGE (LT)
HEATING SYSTEM
GAS BOTTLES (MAX KG)*
FLOOR THICKNESS (MM) + PS INSULATION (MM)
INTERNAL INSULATION MATERIAL (WALLS/ROOF)

SKYLIGHT

PANORAMIC SKYLIGHT 700X500 (MM)
SKYLIGHT 400X400 (MM)
*PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET

EQUIPMENTS

PLEATED CABIN BLIND
REAR CAMERA
SOLAR PANEL (FITTED) WITH REGULATOR
AWNING
SHOWER TRAY WITH DUAL DRAINAGE
CAB COLOUR
MOSQUITO NET FOR THE SIDE DOOR
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM
EXTERNAL LED LIGHT



CITROËN JUMPER / FIAT DUCATO
2,2 BlueHdi 140 CV / 2,2 MJ 140 CV

S
3500
2844
260
4035
2500
16" Alloy
S
S
S
S / S / S
S
S (PACK COMFORT)*
S
S
O (PACK TRAVEL 4 kg)
5995
2050
2650 / 1890
S
4
4
186x145 - 184x133
O (200x130)
185x95/66 (OPT, 15 kg)
2
20 / 90 / 90
84
Combi 4 Diesel
2x5
10 + 26
ECOFIBER + R-ECOFIBER
O
1
S (PACK COMFORT)*
S
S
S (PACK COMFORT)*
O (PACK TRAVEL 4 kg)
S (PACK PRESTIGE)*
S (PACK PRESTIGE)*
-
White
S (PACK COMFORT)*
S (PACK COMFORT)*
S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)



www.caravansinternational.it/global

KYROS ELITE DUO




4



2



4



[2,05 → 6,36



MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER / FIAT DUCATO
ENGINE, POWER	2,2 BlueHdi 140 CV / 2,2 MJ 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2882
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	180
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16" Alloy
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK COMFORT)*
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	O (PACK TRAVEL 4 kg)
DIMENSIONS AND PLACES	
EXTERNAL LENGHT (MM)	6365
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT(CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	190x80 - 185x82 - 194x190(185)
POP-UP BED + PORTLIGHT (CM)***	O (200x130)
TRANSVERSAL BED IN DINETTE	185x95/66 (OPT, 15 kg)
INSTALLATIONS	
BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 85 / 90
FRIDGE (LT)	84
HEATING SYSTEM	Combi 4 Diesel
GAS BOTTLES (MAX KG)*	2x5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 (MM)	O
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S (PACK COMFORT)
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
EQUIPMENTS	
PLEATED CABIN BLIND	S (PACK COMFORT)*
REAR CAMERA	O (PACK TRAVEL 4 kg)
SOLAR PANEL (FITTED) WITH REGULATOR	S (PACK PRESTIGE)*
AWNING	S (PACK PRESTIGE)*
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	White
MOSQUITO NET FOR THE SIDE DOOR	S (PACK COMFORT)*
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK COMFORT)*
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).


**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)



www.caravansinternational.it/global

KYROS ELITE DUO XL



2,05 → 6,36



MECHANICS AND CHASSIS

MECHANICAL UNIT	CITROËN JUMPER / FIAT DUCATO
ENGINE, POWER	2,2 BlueHdi 140 CV / 2,2 MJ 140 CV
MANUAL GEARBOX	S
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2882
MAXIMUM MASS OF OPTIONAL EQUIPMENT (KG)	190
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16" Alloy
CAB AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH INTELLIGENT SPEED ASSIST	S
ABS / ESC / TRACTION+	S / S / S
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S (PACK COMFORT)*
PAINTED FRONT BUMPER	S
FOG LIGHTS	S
INFOTAINMENT	O (PACK TRAVEL 4 kg)

DIMENSIONS AND PLACES

EXTERNAL LENGTH (MM)	6365
EXTERNAL WIDTH (MM)	2050
EXTERNAL HEIGHT (CM) / INTERNAL HEIGHT (CM)	2650 / 1890
ISOFIX	S
HOMOLOGATED SEATS	4
BERTHS	2
REAR BED (CM)	188(178)x160 [lift pos.] - 188(178)x190 [low pos.]
POP-UP BED + PORTLIGHT (CM)***	O (200x130)
TRANSVERSAL BED IN DINETTE	185x95/66 (OPT, 15 kg)

INSTALLATIONS

BURNERS	2
*MAX TANK CAPACITY: FRESH WATER IN DRIVING CONDITIONS / FRESH WATER WITH STATIONARY VEHICLE / GREY WATER (LT)	20 / 85 / 90
FRIDGE (LT)	84
HEATING SYSTEM	Combi 4 Diesel
GAS BOTTLES (MAX KG)*	2x5
FLOOR THICKNESS (MM) + PS INSULATION (MM)	10 + 26
INTERNAL INSULATION MATERIAL (WALLS/ROOF)	ECOFIBER + R-ECOFIBER

SKYLIGHT

PANORAMIC SKYLIGHT 700X500 (MM)	O
SKYLIGHT 400X400 (MM)	1
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S (PACK COMFORT)
BATHROOM WINDOW (DOUBLE-GLAZED, FROSTED)	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S

EQUIPMENTS

PLEATED CABIN BLIND	S (PACK COMFORT)*
REAR CAMERA	O (PACK TRAVEL 4 kg)
SOLAR PANEL (FITTED) WITH REGULATOR	S (PACK PRESTIGE)*
AWNING	S (PACK PRESTIGE)*
SHOWER TRAY WITH DUAL DRAINAGE	-
CAB COLOUR	White
MOSQUITO NET FOR THE SIDE DOOR	S (PACK COMFORT)*
CP PLUS CONTROL UNIT FOR THE COMBINED SYSTEM	S (PACK COMFORT)*
EXTERNAL LED LIGHT	S

S= standard O=optional - = not available

*Free pack; offer valid until further notice (weight (kg) included in the vehicle).

**Depending on the gas cylinders available in each country, this capacity may be limited.

***129 kg for the 5.41 m layout (134 kg with a skyroof) - 133 kg for the 5.99 m layout (138 kg with a skyroof) - 134 kg for the 6.36 m layout (139 kg with a skyroof)



www.caravansinternational.it/global

KYROS ELITE

Pack Options



KYROS ELITE		(KG)
COMFORT PACK	SEAT COVERS - EXTERNAL LIGHT - CP PLUS CONTROL PANEL - MIDI HEKI SKYLIGHT (700X500) IN THE DINETTE AREA - MOSQUITO NET ON THE SLIDING DOOR - ELECTRIC ACCESS STEP - PLEATED CAB BLINDS	Weight already included in the base vehicle
PRESTIGE PACK	200W SOLAR PANEL - AWNING	Weight already included in the base vehicle
MOTION PACK	STEERING WHEEL AND GEAR KNOB WITH SOFT-TOUCH FINISH - TECHNO DASHBOARD - ELECTRIC PARKING BRAKE	-9
PACK EXTRA SAFETY (1)	ADAPTIVE CRUISE CONTROL - LIGHT AND RAIN SENSORS WITH AUTOMATIC HIGH-BEAM ACTIVATION	0
EXTRA TECH PACK (1)	FULL DIGITAL CLUSTER (DIGITAL INSTRUMENT PANEL) - AUTOMATIC CLIMATE CONTROL - WIRELESS SMARTPHONE CHARGER - FULL LED HEADLIGHTS	1
VISION PACK	ELECTRICALLY FOLDING WING MIRRORS - BLIND SPOT SENSORS + REAR CROSS-TRAFFIC ALERT	1
SELEKT PACK (not available on 120HP)	8-SPEED AUTOMATIC TRANSMISSION	60
TRAVEL PACK	9" PIONEER RADIO WITH BLUETOOTH / APPLE CARPLAY / ANDROID AUTO - REAR-VIEW CAMERA	4
ARCTIC GAS PACK	TRUMA COMBI 6E (6000W) GAS + ELECTRIC - WINTER PACK (THERMAL INSULATION FOR GREY WATER TANK AND EXTERNAL PIPES) - INSULATED AND HEATED EXTERNAL PIPES - DASHBOARD THERMAL COVER - AWNING KIT (SLIDING AWNING IN DINETTE AND REAR DOORS) - INTERNAL THERMAL COVERS FOR WINDOWS (EXCEPT K2)	10
ARCTIC DIESEL PACK	TRUMA COMBI 6E (6000W) DIESEL + ELECTRIC - WINTER PACK (THERMAL INSULATION FOR GREY WATER TANK AND EXTERNAL PIPES) - INSULATED AND HEATED EXTERNAL PIPES - DASHBOARD THERMAL COVER - AWNING KIT (SLIDING AWNING IN DINETTE AND REAR DOORS) - INTERNAL THERMAL COVERS FOR WINDOWS (EXCEPT K2)	

(1) Motion Pack is mandatory.

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global

KYROS ELITE

Available Options



CHASSIS	KG	KYROS ELITE			
		2	5	DUO	DUO XL
Delta 140 hp - 160 hp	Manual: 10 Automatic: 60	O	O	O	O
Delta 140 hp - 180 hp automatic gearbox	60	O	O	O	O
HEAVY** chassis at 4,250 kg*	Manual: 45 kg Automatic: 0 kg	4,25T: 140 HP M UND AT / 160 HP M UND AT	4,25T: 140 HP M UND AT / 160 HP M UND AT	4,25T: 160 HP AT / 180 HP AT	4,25T: 160 HP AT / 180 HP AT
"SOLID" body colour - Expedition Grey / Lanzarote	0	O	O	O	O
Body colour: "METALLIC" - Iron Grey / Artense Grey / Metallic Black	0	O	O	O	O
Pioneer radio navigation system with 3-year European map subscription	0	O	O	O	O
Pioneer radio navigation system with 3-year European map subscription	-	O	O	O	O

* All HEAVY chassis can also be registered as 3,500 kg.

** See available engine options in each column.

O = Optional | M = Manual gearbox | AT = Automatic gearbox

LIVING UNIT	KG				
Openable skyroof	20	O	O	O	O
AGM service battery	30	O	O	O	O
100Ah lithium battery	13	O	O	O	O
150Ah lithium battery	16	O	O	O	O
POP UP White - Lift-up roof with double bed (not compatible with Sky Roof)	125	O	O	O	O
POP UP Black - Lift-up roof with double bed (not compatible with Sky Roof)	125	O	O	O	O
POP UP Black + SKY ROOF - Pop-up roof with double bed	130	O	O	O	O
Winter Tent for POP UP	2	O	O	O	O
Conversion of the dinette into a transverse single bed	15	O	O	O	O
Small extra bed in the cab	9	O	O	O	O
Winter Pack (thermal insulation for grey water tank and external pipes)	3	O	O	O	O
Truma Combi C4 4000W Gas + Electric	1	O	O	O	O
Truma Combi C6 6000W Gas	0	O	O	O	O
Truma Combi C6 6000W Gas + electric	1	O	O	O	O
Truma Combi C6 6000W diesel + electric	1	O	O	O	O
Rear left window	8	O	-	O	O
Truma INETX control panel (with app)	0	O	O	O	O
Aluminium technical floor + ramp	19	-	-	-	O
Storage modules under the twin beds	32	-	-	O	-

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1



www.caravansinternational.it/global